

dapro

*Safety inspires confidence.
Confidence inspires achievements.*



www.dapro-safety.com



[/Dapro-Safety](https://www.linkedin.com/company/dapro-safety)



[@Dapro_Safety](https://www.instagram.com/dapro_safety)



[/DaproSafety](https://www.facebook.com/DaproSafety)



[@Dapro_Safety](https://twitter.com/Dapro_Safety)



[@DaproSafety](https://www.youtube.com/DaproSafety)



[/Dapro_Safety](https://www.pinterest.com/Dapro_Safety)



[@DaproSafety](https://www.tiktok.com/@DaproSafety)





TABLE OF CONTENTS

WORKWEAR

Dapro Kids Coverall	11
Dapro Worker 1 Coverall Kneepads	13
Dapro Worker 2 Coverall	19
Dapro Toughwear 2 Coverall Kneepads	26
Dapro Industry Coverall	28
Dapro Roughneck Coverall	32
Dapro Roughneck Bib	33
Dapro Roughneck Jacket	37
Dapro Roughneck Pant	38
Dapro Diamond Coverall	40
Dapro Diamond Bib	42
Dapro Diamond Jacket	46
Dapro Diamond Pant	47
Dapro Spark Coverall	48
Dapro Spark Bib	49
Dapro Spark Jacket	52
Dapro Spark Pant	53
Dapro Rope Access Coverall	54
Dapro Globe-Tech Coverall	55
Dapro Globe-Tech Bib	58
Dapro Globe-Tech Jacket	59
Dapro Globe-Tech Pant	60
Dapro Globe-Tech Polo	61
Dapro Globe-Tech Shirt	62
Dapro Globe-Tech Sweater	63
Dapro Volt Hi-Vis Class 2 Coverall	64
Dapro Kneepads	65

OUTERWEAR

Dapro Phase 1 Jacket	69
Dapro Access Jacket	71
Dapro Access Bomber Jacket	74
Dapro Infinity Jacket	78
Dapro Globe-Tech Jacket	79

Dapro Spectre Softshell Jacket	82
Dapro PU Hydrolite Rainsuit	83
Dapro Protector Coverall Reflect	84
Dapro Protector Bib	85
Dapro Protector Pant	86
Dapro Protector Bodywarmer	88
Dapro Basic Fleece	91
Dapro Defender Fleece	94
Dapro Offshore Bag	95
Dapro C9 Hood	97
BASELAYER	101
Dapro Balaclava	103
Dapro Polar Balaclava	104
Dapro Frost Multi-Use Neck Warmer	105
Dapro Frost Shirt	106
Dapro Frost Pant	107
Dapro Phoenix Socks	108
EYEWEAR	110
Dapro Offshore Glasses	111
FOOTWEAR	113
Dapro Offshore C S7 C	115
Dapro Offshore C S7 C Subzero® T400 Fur	116
Dapro Flame Knit C S1P C	117
Dapro Black Phoenix C S3 C	118
Dapro Court High S3 C	119
Dapro Elements 2 S3 C	120
Dapro Elements 2 Pro C S3 C	121
Dapro Elements 3 C S3 C	122
Dapro Driller C S3 C	123
Dapro Rigger C S3 C	125
Dapro Baron S3 C	126
Dapro Noble S3 C	127
Dapro Noble Welding S3 C	129

Dapro Dauntless S3 C	130
Dapro Dauntless S3 C SubZero® Fur	131
Dapro Intrepid S3 C	132
Dapro Intrepid S3 C SubZero® Fur	133
Dapro 3D Premium Comfort Insole	134
Dapro Laces	135
FOOTWEAR MADE-TO-ORDER	136
Dapro Petromaster C S7 C	137
Dapro Petromaster C S7 C Subzero® T400 Fur	139
Dapro Rigmaster C S7 C	141
Dapro Rigmaster C S7 C Subzero® T400 Fur	143
Dapro Female Offshore C S7 C	145
Dapro Canyon Laceless C S3 C	146
Dapro Elements 1 C S3 C	147
Dapro Chelsea Boot C S3 C	148
Dapro Commissioner Slip On C S3	150
Dapro Commissioner C S3 C	152

We are always working to improve our products and achieve the perfect design to ensure the safety and comfort of our clients. Follow us on our social media channels to stay up-to-date with our latest models!





Company Profile

Dapro specializes in the development and manufacturing of Personal Protection Equipment for the petrochemical industry. Dapro is the premier flame retardant garment producer of the world. The product scope of Dapro consists of 5 product groups: Workwear, Outerwear, Base Layer, Footwear & Eyewear


"Tailormade products are a specialty for which Dapro is well-known. With 'Dapro Tailor-Made Projects,' Dapro carefully listens to its users and creates products that cater to the needs and corporate identity of its clients."

Dapro's goal is to provide people working in hazardous environments with products that make their jobs safer. Innovation is central to Dapro, as is the continuous strive for highly durable, comfortable and protective products that exceed the standards of the industry.

The success of Dapro lies in combining these traits without compromise by using high tech materials and innovative design. The result is the use of Dapro products in 24 countries divided over 4 continents.

One example of the innovative features of Dapro is 'Dapro Action Armpits'. This innovative design gives the user the freedom to work comfortably above reach in a coverall (one-piece garment).

At Dapro your safety is the number one priority. Your life depends on it.
For more information, please visit www.dapro-safety.com.



Dapro Around the World

Some of our customers



Schlumberger



HALLIBURTON



Baker Hughes





Eco Friendly Manufacturing

Dapro has been a frontrunner in using eco-friendly materials and technology in its production processes. In our facilities, we take sustainability to the next level. Our facilities have rooftop energy sources. Solar power is a clean and efficient way of powering our production processes and lighting the facilities. In addition, Dapro uses low chromium content leather in its safety shoe production. Waste is reduced to a minimum in all our factories by means of stringent recycling policies. At Dapro we take sustainability as serious as we do safety.

OEKO-TEX Standard 100

The OEKO-TEX® Standard 100 is an independent test and certification system for textile raw, intermediate and end products at all stages of processing. The test for harmful substances covers: Legally banned and controlled substances; Chemicals known to be harmful (but not yet legally controlled); Parameters for health protection. The more closely the product is in contact with the skin, the stricter the human ecology requirements are that it must meet.

With our exceeding parameters on breathability for higher comfort and durability Dapro is leading with returning happy customers all over the world.


Flame-retardant Nano-Technology

A special Guardian® flame-retardant, breathable and waterproof membrane is attached to a Guardian® Polyester Outer Shell. A separate flame-retardant lining ensures a comfortable soft touch and warmth. It is possible to combine this construction with SubZero® insulation, which keeps the body dry and warm in even the most extreme conditions.

Anti-static fabric technology

Guardian® anti-static fiber is a multi-filament bi-component yarn. Each filament has a unique conduction core surrounded by a sheath of fibers. It has been designed to provide optimal anti-static protection in grounded and ungrounded environments according to end-use specifications.

Most of our competitors supply anti-static garments which only comply to EN 1149-5. Dapro garments are certified and compliant to EN 1149-5 and to the most stringent anti-static standard called 'The Gasprobe Test'. This standard tests the garment in both ungrounded situations and real-world scenarios, such as standing in oil or being suspended by a fall arrest system.



Quality Testing & Traceability

Each Dapro product must pass stringent quality and safety tests. Unlike most competitors who only test their products with a Notified Body for international certification, all Dapro products are officially certified by Notified Bodies and often exceed these standards. Our factories utilize, in addition to international certification testing, in-house laboratories where all materials and final products are continuously tested, to guarantee that every product meets both international and Dapro standards. See a list of some of our standard in-house tests below:

- > Water resistance and breathability of fabrics, leather, seams and garments
- > Fabric/leather elongation, tear and tensile strength
- > Leather chromium VI content and pH levels
- > Impact compression & perforation resistance on shoe hardware
- > Colour fastness
- > Shade variations
- > Shrinkage
- > Flame-retardant properties
- > Button pull testing
- > Pilling

Every Dapro product has a unique tracking code.


With this code we can see exactly which batch of materials was used and which employees were involved in the production of the product. This ensures accountability in our whole production process.



Manikin Test

EN ISO 11612 is the international standard for industrial flame-retardant garments. EN ISO 11612 offers an optional test known as the 'Manikin Test'. This test involves exposing a manikin wearing our garment to a minimum 3-second flash fire. The test results predict the extent of skin burns for our product.

Dapro supplies the best flame-retardant garments in the world. That is why we do the 'Manikin Test' at 4 seconds and still achieve industry leading results. Please see the results in our burn injury prediction diagram.



Certification Information



EN ISO13688

Specifies various general performance requirements including ergonomics, size and marking of protective clothing and accompanying user info.



EN ISO 11612

Classification

Specifies performance requirements for safety garments to protect from heat and flame, where there is a need for clothing with limited flame spread properties and where the user can be exposed to radiant, convective, contact heat or to molten metal splashes. Classifications:

A = Flame distribution (A1 = Superficial flame, A2 = Peripheral flame)

B = Convective heat (Class 1 - 3)

C = Radiating heat (Class 1 - 4)

D = Molten aluminium (Class 1 - 3)

E = Molten Iron (Class 1 - 3)

F = Contact heat (Class 1 - 3)



EN ISO 14116

Index X

Specifies the performance requirements for the limited flame spread properties of materials, material assemblies and protective clothing in order to reduce the possibility of the clothing burning and thereby itself constituting a hazard. Protective clothing complying with this International Standard is intended to protect workers against occasional and brief contact with small igniting flames, in circumstances where there is no significant heat hazard and without the presence of another type of heat. Icon only shown when certified in combination with EN ISO 11612:2015. Index:

1: hole may be formed, no flame spread, no flaming debris

2: no hole formation, no flame spread, no flaming debris, after flame / glow time > 2s

3: no hole formation, no flame spread, no flaming debris, after flame / glow time < 2s



EN 1149-5

Specifies material and design requirements for electrostatic dissipative protective clothing, used as part of a total earthed system, to avoid incendiary discharges. The requirements may not be sufficient in oxygen enriched flammable atmospheres. This European Standard is not applicable for protection against mains voltages.



EN ISO 11611

A1 Class X

Specifies safety requirements for protective clothing to be worn during welding and similar processes with comparable risks, to protect against spatter (small splashes of molten metal), short contact time with flame, radiant heat from the arc and minimizes the possibility of electrical shock by short-term, accidental contact with live electrical conductors in normal conditions of welding. (Class 1 - 2)



EN 13034

Type X

Specifies the requirements for chemical protective clothing partial (Type PB [6]) or full body (Type 6), intended for use in cases of a potential exposure to a light spray, liquid aerosols or low pressure, low volume splashes and partial body protection.



EN 13758-2

This European Standard specifies the requirements for marking of clothing which are designed to offer the wearer protection against solar ultraviolet radiation exposure.



EN 343

Requirements and test methods for fabrics and seams of protective clothing against the influence of rain, snow, fog and ground humidity. Resistance to water penetration (A) and water vapour resistance (B) is measured.

A: Resistance to water penetration: 1-4, where class 4 provides the best waterproofness

B: Breathability – water vapour resistance: 1-4, where class 4 provides the best breathability

C: Impact from above with high energy droplets (optional)



EN 14058

This standard specifies the requirements and test methods for the features of garments for protection of the body against cold environments with temperatures above -5 °C.

A: Thermal resistance r_{ct} (class 1 - 3)

B: Air permeability (class 1 - 3) (optional)

C: Water vapour permeability (optional)

D: Resistance water penetration (class 1 - 2) (optional)



IEC 61482-2
Class X

Specifies the necessities and test methods applicable to materials and garments for protective clothing for electrical workers against the thermal hazards of an electric arc based on properties of the textiles tested with selected test methods.

The arc rating of materials (ATPV or EBT50) when tested with an open electric arc under defined laboratory conditions according to IEC 61482-1-1.

The arc protection class of materials and garments (Class 1 or Class 2), when tested with a directed and constrained electric arc under defined laboratory conditions according to IEC 61482-1-2 requirements of this standard do not address electric shock hazards. The present standard is applicable in combination with standard covering such hazards.



IEC 61482-2
Class X



EN ISO 20471

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for “high visibility clothing which is capable of visually signalling the user’s presence” and assesses the suitability and durability of retro-reflective materials. (Class 1 - 3)



EN 17353

Type X

This European standard specifies the requirements for enhanced visibility equipment in the form of garments, or devices, which are capable of visually signalling the user’s presence. The enhanced visibility equipment is intended to provide conspicuity of the wearer in medium risk situations under any daylight conditions and/or under illumination by vehicles headlights or searchlights in the dark.



ISO 20345



EN 166

Specifies basic and additional (optional) requirements for safety footwear used for general purpose. It includes, for example, mechanical risks, slip resistance, thermal risks, ergonomic behaviour.

Specifies the core technical industrial safety norm in Europe for eye protection applying to all types of individual protection of the eye which protects from hazards likely to damage the eye, except for nuclear radiation, x-rays, laser emissions and infrared emitted by low temperature sources.



EN ISO
13688
(EN 340)



EN ISO
11612
A1B1C1E1F1



EN ISO
14116
Index 3



EN 1149-5



EN ISO
11611
A1 Class 1



EN 13034
Type 6



IEC 61482-2
Class 1



IEC 61482-2



EN ISO
20471

Product Name

Color

GSM

Workwear

Kids Coverall	NB RB OR RE PI SB	200	N/A										
Worker 1 Coverall	NB RB OR RE WG SB WH	200	✓										
Worker 2 Coverall	NB OR	200	✓										
Toughwear 2 Coverall	NB AB OR AR	200	✓	A1B1C1	✓	✓				ATPV=5,1cal/cm2			
Industry Coverall	NB	350	✓	A1B1C1F1	✓	✓	✓					APC1	
Roughneck Coverall	NB RB OR RE	240	✓	✓	✓	✓	✓	✓	✓	✓			
Roughneck Jacket	NB RE	240	✓	✓	✓	✓	✓	✓	✓	✓			
Roughneck Pant	NB RE	240	✓	✓	✓	✓	✓	✓	✓	✓			
Diamond Coverall	NB RB OR RE	350	✓	✓	✓	✓	✓	✓	✓	ATPV=10,4cal/cm2			
Spark Coverall	NB RB BL	350	✓	✓	✓	✓	✓	✓	✓	ATPV=10,4cal/cm2			
Spark Bib / Jacket / Pant	NB	350	✓	✓	✓	✓	✓	✓	✓	ATPV=10,4cal/cm2			
Diamond Bib / Jacket / Pant	RE	350	✓	✓	✓	✓	✓	✓	✓	ATPV=10,4cal/cm2			
Rope Access Coverall	NB OR	350	✓	✓	✓	✓	✓	✓	✓	ATPV=10,4cal/cm2			
Rope Access Coverall IFR	OR	260	✓	✓	✓	✓	✓	✓	✓	ATPV=10,4cal/cm2			
Globe-Tech Coverall IFR	BL HVYE	260	✓	✓	✓	✓	✓	✓	✓	✓			
Globe-Tech Bib IFR	BL HVYE	260	✓	✓	✓	✓	✓	✓	✓	✓			
Globe-Tech Jacket IFR	BL HVYE	260	✓	✓	✓	✓	✓	✓	✓	✓			
Globe-Tech Pant IFR	BL HVYE	260	✓	✓	✓	✓	✓	✓	✓	✓			
Globe-Tech Polo IFR	BL HVYE	220	✓	A1B1C1		✓							
Globe-Tech Shirt IFR	BL HVYE	260	✓	✓	✓	✓	✓	✓	✓	✓			
Globe-Tech Sweater IFR	BL HVYE	340	✓	A1B1C1F1		✓							
Volt Hi-Vis Class 2 Coverall IFR	NB HVYE	260	✓	A1A2B1C1E1F1	✓	✓		A1+A2 Class	✓		APC1		✓
Kneepads	EB	N/A	N/A										

Product Name

Color

GSM

Outerwear

Phase 1 Jacket	NB NB HVYE NB HVOR	260	✓	A1 B1 C1 D3 E3 F1	Index 3	✓	A1 Class 1	Type 6	✓	Only with C15-2 Jackets	APC 1
Access Jacket	NB BL NB HVYE NB HVOR	260	✓		✓	✓		✓	✓	Only with C9-2 Jackets	
Access Bomber Jacket	NB HVOR	260	✓		✓	✓		✓	✓	✓	
Infinity Jacket	NB NB HVYE NB HVOR	260	✓		✓	✓		✓	✓	✓	
Globe-Tech Jacket	BL HVYE	300	✓	A1 B1 C1 D3 E3 F1	Index 3	✓	✓	✓	✓	✓	APC 1
Spectre Softshell Jacket	NB HVYE	350	✓	A1 A2 B1 C2 F1		✓	A1 + A2 Class 2	✓		✓	✓
PU Hydrolite Rainsuit	NB	190	✓		Index 1	✓			✓		
Protector Coverall Reflect	HVOR	260	✓		✓	✓		Type 6	✓	✓	
Protector Bib	NB HVYE NB HVOR	260	✓		✓	✓		✓	✓	✓	
Protector Pant	NB NB HVYE NB HVOR	260	✓		✓	✓		✓	✓	Only with C9-2 Pants	
Protector Bodywarmer	NB NB HVYE NB HVOR	260	✓		✓	✓		✓	✓	Only with C9-2 Bodywarmers	
Basic Fleece	BL	260	✓								
Defender Fleece	NB RB	320	✓	A1 B1 C1	Index 3	✓					ATPV=5.1cal/cm2
C9 Hood	NB	260	✓		✓	✓		✓	✓		

Base Layer

Balaclava IFR	BL	250	✓	A1 B1 C1	Index 3	✓					
Polar Balaclava IFR	BL	250	✓	A1 B1 C1	Index 3	✓					
Frost Neck Warmer IFR	BL	250	✓	A1 B1 C1	Index 3	✓					
Frost Underwear Shirt IFR	BL	250	✓	A1 B1 C1	Index 3	✓					
Frost Underwear Pant IFR	BL	250	✓	A1 B1 C1	Index 3	✓					
Dapro Phoenix Socks	NB BL	N/A	N/A								

Dapro Footwear Stock

Product Name	Color
Platinum Range	
Offshore C S7 C*	BL/BL **
Female Offshore C S7 C ¹	BE/BE
Petromaster C S7 C ¹ *	BL/BL BR/BR
Rigmaster C S7 C ¹ *	BL/BL BR/BR
Sports Range	
Flame Knit C S1P C	BL OR
Black Phoenix C S3 C	BL WH
Court High C S3	BL OR
Commissioner C S3 ¹	BL/BL BR/BR
Commissioner Slip On C S3 ¹	BL/BL BR/BR

Features	Platinum Range	Sports Range
EN ISO 20345	2022 SR	2022 SR
Metal free / Non-magnetic	Metal free	Flame Knit C S1P C, Black Phoenix C S3 C, Court High C S3, Commissioner C S3: Non-magnetic Commissioner Slip On C S3: Metal free
Water resistant	✓ (Waterproof Membrane)	✓
Upper	Full grain leather	Flame Knit C S1P C: Knitted polyester Black Phoenix C S3 C: Nubuck finish microfiber Court High C S3: Grain/microfiber Commissioner (Slip On) C S3, Full grain leather
Sole	ESD PU/Nitrile	PU/Nitrile
Anti-slip and Anti-shock	✓	✓
Abrasion resistance	★★★★★	★★★★★
Traction	★★★★★	★★★★★
Oil and Chemical resistance	★★★★★	★★★★★
Heat resistance up to	300° Celsius	160° Celsius
Anti-static	✓ ESD	✓ ESD
TPU Abrasion resistant cuff nose / scuff cap	✓	Flame Knit C S1P C: ✓ Black Phoenix C S3 C: ✓ Court High C S3: - Commissioner (Slip On) C S3: ✓
Anti-perforation mid plate	Textile	Textile
Protective toe	✓	✓
Lining and/or insole	Anti-bacterial polyester mesh lining and 3D EVA insole	Anti-bacterial polyester mesh lining and 3D EVA insole

* Additional winter variant with 400 GSM 3M™ Thinsulate available

** Additional brown variant available on request

¹ Available on request

Dapro Footwear Stock

Product Name	Color	Features	High Range	Mid Range	Value Range
High Range		EN ISO 20345	2022 SR	2011 SRC	2011 SRC
Driller C S3 C	BL/BL BR/BR	Metal free / Non-magnetic	Metal free	-	-
Rigger C S3 C	BL/BL **	Water resistant	✓	✓	✓
Canyon Laceless C S3 C ¹	BL/BL BR/BR	Upper	Full grain leather	Grain leather	Buffalo split leather
Chelsea Boot C S3 ¹	BL/BL BR/BR	Sole	PU/Nitrile	PU/PU	PU/PU
Elements 1 C S3 C ¹	BL/BL BR/BR	Anti-slip and Anti-shock	✓	✓	✓
Elements 2 Pro C S3 C	BL/BL **	Abrasion resistance	★★★★★	★★★★★	★★★★★
Elements 3 C S3 C	BL/BL **	Traction	★★★★★	★★★★★	★★★★★
Mid Range		Oil and Chemical resistance	★★★★★	★★★★★	★★★★★
Elements 2 S3 C	BL/BL	Heat resistance up to	300° Celsius	160° Celsius	160° Celsius
Value Range		Anti-static	✓ ESD	✓	✓
Baron S3 C	BL/BL **	PU bump cap / scuff cap	-	✓	✓
Noble S3 C	BL/BL BR/BR ²	TPU Abrasion resistant cuff nose / scuff cap	Driller C S3 C: ✓ Rigger C S3 C: ✓ Canyon Laceless C S3 C: ✓ Chelsea C S3: - Elements 1/2/3 C S3 C: ✓	-	-
Noble Welding S3 C	BL/BL	Anti-perforation mid plate	Textile	Steel	Steel
Intrepid S3 C*	BL/BL **	Protective toe	✓	✓	✓
Dauntless S3 C*	BL/BL **	Lining and/or insole	Driller C S3 C: Anti-bacterial 3D EVA insole Rigger, Canyon Laceless, Elements 1/2/3 C S3 C, Chelsea C S3: Anti-bacterial polyester mesh lining and 3D EVA insole	Anti-bacterial polyester mesh lining and 3D EVA insole	EVA Insole

* Additional winter variant with 400 GSM 3M™ Thinsulate available

** Additional brown variant available on request

¹ Available on request

² In stock while supplies last



WORKWEAR


Size guide Coverall/Jacket

SIZE			LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	M	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116

Size guide Pants

SIZE			WAIST (C)	HIP (D)	INSEAM (E)
42	32	3XS	74-85	87-98	70-76
44	34	2XS	77-88	89-100	71-77
46	36	XS	80-91	91-102	72-78
48	38	S	83-94	93-104	74-80
50	40	M	86-97	95-106	75-81
52	42		88-100	97-109	76-82
54	44	L	91-103	100-112	79-85
56	46		94-106	103-115	80-86
58	48	XL	96-109	105-118	81-87
60	50		99-112	108-121	82-88
62	52	2XL	102-115	111-124	83-89
64	54		105-118	114-127	84-90
66	56	3XL	111-124	117-130	84-90
68	58		117-130	120-133	84-90
70	60	4XL	123-136	123-136	84-90

Measurements shown in centimeters



Iconography



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-Way
Zipper



YKK® Two-
Way Zipper



Single
Gas Loop



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs




Action
Armpit



Shaped Knee

Wearers side



Dapro Kids Coverall

PRODUCT CODE: WKIDSC-NB*


Fabric information



- 100% Cotton
- 200-220 GSM

Features

- > Center front with YKK® two-way **vislon zipper** closure
- > Chest pockets with safety flap and metal snap button closure
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > **Adjustable cuffs** with plastic snap buttons



Available in colors:
Sizes in stock

Navy Blue *NB EU 92-164	Royal Blue *RB EU 92-164	Vibrant Orange *OR EU 92-164	Flaming Red *RE EU 92-164
Sky Blue *SB EU 92-164	Pink *PI EU 92-164		



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Adjustable
Cuffs

Dapro Kids Coverall

PRODUCT CODE: WKIDSC-RB*


Fabric information



- 100% Cotton
- 200-220 GSM

Features

- > Center front with YKK® two-way **vislon zipper** closure
- > Chest pockets with safety flap and metal snap button closure
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > **Adjustable cuffs** with plastic snap buttons



Available in colors:
Sizes in stock

Navy Blue *NB EU 92-164	Royal Blue *RB EU 92-164	Vibrant Orange *OR EU 92-164	Flaming Red *RE EU 92-164
Sky Blue *SB EU 92-164	Pink *PI EU 92-164		



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Adjustable
Cuffs

Dapro Kids Coverall

PRODUCT CODE: WKIDSC-OR*


Fabric information



- 100% Cotton
- 200-220 GSM

Features

- > Center front with YKK® two-way **vislon zipper** closure
- > Chest pockets with safety flap and metal snap button closure
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > **Adjustable cuffs** with plastic snap buttons



Available in colors:
Sizes in stock

Navy Blue *NB EU 92-164	Royal Blue *RB EU 92-164	Vibrant Orange *OR EU 92-164	Flaming Red *RE EU 92-164
Sky Blue *SB EU 92-164	Pink *PI EU 92-164		



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Adjustable
Cuffs

Dapro Kids Coverall

PRODUCT CODE: WKIDSC-RE*


Fabric information



- 100% Cotton
- 200-220 GSM

Features

- > Center front with YKK® two-way **vislon zipper** closure
- > Chest pockets with safety flap and metal snap button closure
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > **Adjustable cuffs** with plastic snap buttons



Available in colors:
Sizes in stock

Navy Blue *NB EU 92-164	Royal Blue *RB EU 92-164	Vibrant Orange *OR EU 92-164	Flaming Red *RE EU 92-164
Sky Blue *SB EU 92-164	Pink *PI EU 92-164		



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Adjustable
Cuffs

Dapro Kids Coverall

PRODUCT CODE: WKIDSC-SB*


Fabric information



- 100% Cotton
- 200-220 GSM

Features

- > Center front with YKK® two-way **vislon zipper** closure
- > Chest pockets with safety flap and metal snap button closure
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > **Adjustable cuffs** with plastic snap buttons



Available in colors:
Sizes in stock

Navy Blue *NB EU 92-164	Royal Blue *RB EU 92-164	Vibrant Orange *OR EU 92-164	Flaming Red *RE EU 92-164
Sky Blue *SB EU 92-164	Pink *PI EU 92-164		



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Adjustable
Cuffs

Dapro Kids Coverall

PRODUCT CODE: WKIDSC-PI*


Fabric information



- 100% Cotton
- 200-220 GSM

Features

- > Center front with YKK® two-way **vislon zipper** closure
- > Chest pockets with safety flap and metal snap button closure
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > **Adjustable cuffs** with plastic snap buttons



Available in colors:
Sizes in stock

Navy Blue *NB EU 92-164	Royal Blue *RB EU 92-164	Vibrant Orange *OR EU 92-164	Flaming Red *RE EU 92-164
Sky Blue *SB EU 92-164	Pink *PI EU 92-164		



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Adjustable
Cuffs

Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-NB*

Fabric information



Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**



Available in colors:
Sizes in stock

Navy Blue *NB EU 50-62	Royal Blue *RB EU 48-62	Vibrant Orange *OR EU 48-62
Flaming Red *RE EU 50-62	Wolf Grey *WG EU 48-64	Sky Blue *SB EU 48-62
White *WH EU 50-62		

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Dapro Worker 1 Coverall Kneepads


PRODUCT CODE: WWOR1CKULW-RB*

Fabric information



Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**



Available in colors:
Sizes in stock

Navy Blue *NB EU 50-62	Royal Blue *RB EU 48-62	Vibrant Orange *OR EU 48-62
Flaming Red *RE EU 50-62	Wolf Grey *WG EU 48-64	Sky Blue *SB EU 48-62
White *WH EU 50-62		

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-OR*

Fabric information



Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**



Available in colors:
Sizes in stock

Navy Blue *NB EU 50-62	Royal Blue *RB EU 48-62	Vibrant Orange *OR EU 48-62
Flaming Red *RE EU 50-62	Wolf Grey *WG EU 48-64	Sky Blue *SB EU 48-62
	White *WH EU 50-62	

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Dapro Worker 1 Coverall Kneepads


PRODUCT CODE: WWOR1CKULW-RE*

Fabric information



Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**



Available in colors:
Sizes in stock

Navy Blue *NB EU 50-62	Royal Blue *RB EU 48-62	Vibrant Orange *OR EU 48-62
Flaming Red *RE EU 50-62	Wolf Grey *WG EU 48-64	Sky Blue *SB EU 48-62
White *WH EU 50-62		

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-WG*

Fabric information



Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**



Available in colors:
Sizes in stock

Navy Blue *NB EU 50-62	Royal Blue *RB EU 48-62	Vibrant Orange *OR EU 48-62
Flaming Red *RE EU 50-62	Wolf Grey *WG EU 48-64	Sky Blue *SB EU 48-62
White *WH EU 50-62		

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Dapro Worker 1 Coverall Kneepads


PRODUCT CODE: WWOR1CKULW-SB*

Fabric information



Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**



Available in colors:
Sizes in stock

Navy Blue *NB EU 50-62	Royal Blue *RB EU 48-62	Vibrant Orange *OR EU 48-62
Flaming Red *RE EU 50-62	Wolf Grey *WG EU 48-64	Sky Blue *SB EU 48-62
White *WH EU 50-62		

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Dapro Worker 1 Coverall Kneepads


PRODUCT CODE: WWOR1CKULW-WH*

Fabric information



Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**



Available in colors:
Sizes in stock

Navy Blue *NB EU 50-62	Royal Blue *RB EU 48-62	Vibrant Orange *OR EU 48-62
Flaming Red *RE EU 50-62	Wolf Grey *WG EU 48-64	Sky Blue *SB EU 48-62
White *WH EU 50-62		

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-NB*

Fabric information



Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Chest pockets with safety flap and concealed zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > **Adjustable cuffs and hems** with metal snap buttons
- > Prolux® 50mm reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB

EU 48-64

Vibrant Orange *OR

EU 48-62

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Lower Arm
Striping



Adjustable
Hems/Cuffs

Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-OR*

Fabric information



- 100% Cotton
- 200 GSM

Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Chest pockets with safety flap and concealed zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > **Adjustable cuffs and hems** with metal snap buttons
- > Prolux® 50mm reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB

Vibrant Orange *OR

EU 48-64

EU 48-62

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Lower Arm
Striping




Adjustable
Hems/Cuffs

Dapro Toughwear 2 Coverall Kneepads

PRODUCT CODE: WTOU2CK-NB*

C11-A Certification and fabric information



Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:
Sizes in stock

Navy Blue *NB	Arabian Blue *AB	Vibrant Orange *OR	Arabian Red *AR
EU 46-66	EU 46-66	EU 46-66	EU 46-66

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Single
Gas Loop



Lower Arm
Striping




Adjustable
Hems/Cuffs

Dapro Toughwear 2 Coverall Kneepads

PRODUCT CODE: WTOU2CK-AB*

C11-A Certification and fabric information



Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:
Sizes in stock

Navy Blue *NB	Arabian Blue *AB	Vibrant Orange *OR	Arabian Red *AR
EU 46-66	EU 46-66	EU 46-66	EU 46-66

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Single
Gas Loop



Lower Arm
Striping




Adjustable
Hems/Cuffs

Dapro Toughwear 2 Coverall Kneepads

PRODUCT CODE: WTOU2CK-OR*

C11-A Certification and fabric information



Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:
Sizes in stock

Navy Blue *NB	Arabian Blue *AB	Vibrant Orange *OR	Arabian Red *AR
EU 46-66	EU 46-66	EU 46-66	EU 46-66

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Single
Gas Loop



Lower Arm
Striping




Adjustable
Hems/Cuffs

Dapro Toughwear 2 Coverall Kneepads

PRODUCT CODE: WTOU2CK-AR*

C11-A Certification and fabric information



Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:
Sizes in stock

Navy Blue *NB	Arabian Blue *AB	Vibrant Orange *OR	Arabian Red *AR
EU 46-66	EU 46-66	EU 46-66	EU 46-66

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Single
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs

Dapro Industry Coverall

PRODUCT CODE: WINDKCUHW-NB*

C12 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO 11612:2015
A1 B1 C1 F1



EN ISO 14116:2015
Index 3



EN ISO 11611:2015
A1 Class 1



EN 1149-5:2018



IEC 61482-2:2020
APC1



Guardian
Lifetime
Flame
Retardant

- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- 350 GSM



Features

- > Suitable for Continental climate
- > Center front with concealed metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**



Available in colors:

Sizes in stock

Navy Blue *NB

EU 42-70

Available on request: EU 72



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-NB*

C4 Certification and fabric information



Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 46-68	EU 46-68	EU 46-68	EU 48-68

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit




Shaped Knee

Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-RB*

C4 Certification and fabric information



Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 46-68	EU 46-68	EU 46-68	EU 48-68

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Roughneck Coverall



PRODUCT CODE: WROUCLW-OR*

C4 Certification and fabric information



Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 46-68	EU 46-68	EU 46-68	EU 48-68

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-RE*

C4 Certification and fabric information



Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 46-68	EU 46-68	EU 46-68	EU 48-68

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit




Shaped Knee

Dapro Roughneck Bib

PRODUCT CODE: WROUBLW-RE*

C4 Certification and fabric information



GUARDIAN
Lifetime
Flame
Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM



Features

- > Suitable for Summer climate
- > Elastic braces with buckle closure
- > **Zipper fly** closure
- > Chest pocket with safety flap and double concealed metal snap button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with safety flap and concealed metal snap button closure
- > **Cargo pockets** with safety flap and double concealed metal snap button closure
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Kneepad pockets** with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:
Sizes in stock

Flaming Red *RE

EU 46-64

Available on request: EU 42-72



Extensive
Bartacks

5 Thread
Safety Stitch

YKK® One-Way
Zipper

Dapro Roughneck Jacket

PRODUCT CODE: WROUJLW-NB*

C4 Certification and fabric information




GUARDIAN
Lifetime
Flame
Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM



Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® metal zipper and concealed metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > Weltd lower pockets with single concealed metal snap button closure
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB Flaming Red *RE

EU 46-62

EU 46-68

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One-Way
Zipper



Double
Gas Loop



Adjustable
Hems/Cuffs

Dapro Roughneck Jacket

PRODUCT CODE: WROUJLW-RE*

C4 Certification and fabric information




GUARDIAN
Lifetime
Flame
Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM



Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® metal zipper and concealed metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > Weltd lower pockets with single concealed metal snap button closure
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB Flaming Red *RE

EU 46-62

EU 46-68

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One-Way
Zipper



Double
Gas Loop



Adjustable
Hems/Cuffs

Dapro Roughneck Pant

PRODUCT CODE: WROUPLW-NB*

C4 Certification and fabric information



GUARDIAN
Lifeline
Flame
Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM



Features

- > Suitable for Summer climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** at right hand side leg
- > **Kneepad pockets** with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB Flaming Red *RE

EU 46-64

EU 46-68

Available on request: EU 42-72



Extensive
Bartacks


5 Thread
Safety Stitch

YKK® One-Way
Zipper

Dapro Roughneck Pant

PRODUCT CODE: WROUPLW-RE*

C4 Certification and fabric information



Features

- > Suitable for Summer climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** at right hand side leg
- > **Kneepad pockets** with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB Flaming Red *RE
EU 46-64 EU 46-68

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch




YKK® One-Way
Zipper


Dapro Diamond Coverall

PRODUCT CODE: WDIACUHW-NB*


C4 Certification and fabric information




EN ISO 13688:2013
(EN 340:2003)




EN ISO 11612:2015
A1 B1 C1 E1 F1




EN ISO 14116:2015
Index 3




EN ISO 11611:2015
A1 Class 1




EN 1149-5:2008



EN 13034:2005
+A1:2009
Type 6




IEC 61482-2:2009
Class 1
ATPV
10,4 cal/cm²



Guardian Lifetime Flame Retardant

- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



FR

Features









- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > **Back pockets** with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 44-68	EU 46-66	EU 44-70	EU 44-72


Available on request: EU 42-72

							
Extensive Bartacks	5 Thread Safety Stitch	YKK® Two-Way Zipper	Double Gas Loop	Lower Arm Striping	Adjustable Hems/Cuffs	Action Armpit	Shaped Knee


Dapro Diamond Coverall

PRODUCT CODE: WDIACUHW-RB*


C4 Certification and fabric information




EN ISO 13688:2013
(EN 340:2003)




EN ISO 11612:2015
A1 B1 C1 E1 F1




EN ISO 14116:2015
Index 3




EN ISO 11611:2015
A1 Class 1




EN 1149-5:2008



EN 13034:2005
+A1:2009
Type 6




IEC 61482-2:2009
Class 1
ATPV 10,4 cal/cm²



Guardian Lifetime Flame Retardant



- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



FR

Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > **Back pockets** with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 44-68	EU 46-66	EU 44-70	EU 44-72

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit




Shaped Knee


Dapro Diamond Coverall

PRODUCT CODE: WDIACUHW-OR*


C4 Certification and fabric information




EN ISO 13688:2013
(EN 340:2003)




EN ISO 11612:2015
A1 B1 C1 E1 F1




EN ISO 14116:2015
Index 3




EN ISO 11611:2015
A1 Class 1




EN 1149-5:2008



EN 13034:2005
+A1:2009
Type 6




IEC 61482-2:2009
Class 1
ATPV
10,4 cal/cm²



Guardian Lifetime Flame Retardant

- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



FR

Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > **Back pockets** with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 44-68	EU 46-66	EU 44-70	EU 44-72

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Diamond Coverall

PRODUCT CODE: WDIACUHW-RE*

C4 Certification and fabric information

CE

EN ISO 13688:2013
(EN 340:2003)

EN ISO 11612:2015
A1 B1 C1 E1 F1

EN ISO 14116:2015
Index 3

EN ISO 11611:2015
A1 Class 1

EN 1149-5:2008


EN 13034:2005
+A1:2009
Type 6

IEC 61482-2:2009
Class 1
ATPV
10,4 cal/cm²

Guardian


Guardian Lifetime Flame Retardant

- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



Features









- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > **Back pockets** with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 44-68	EU 46-66	EU 44-70	EU 44-72








Available on request: EU 42-72



							
Extensive Bartacks	5 Thread Safety Stitch	YKK® Two-Way Zipper	Double Gas Loop	Lower Arm Striping	Adjustable Hems/Cuffs	Action Armpit	Shaped Knee

Dapro Diamond Bib

PRODUCT CODE: WDIABUHW-RE*

C4 Certification and fabric information

						
EN ISO 13688:2013 (EN 340:2003)	EN ISO 14116:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1 ATPV 10,4 cal/cm²

	<ul style="list-style-type: none"> Guardian Lifetime Flame Retardant 80% Cotton / 19% Polyester / 1% Anti-static Flame-retardant and Anti-static Chemical proof 350 GSM 	
---	--	---

Features

- > Suitable for Continental climate
- > Elastic braces with buckle closure
- > Chest pocket with safety flap and double concealed metal snap button closure
- > **Zipper fly** closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with safety flap and concealed metal snap button closure
- > **Cargo pockets** with safety flap and double concealed metal snap button closure
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Kneepad pockets** with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:
Sizes in stock

Flaming Red *RE

EU 46-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch




YKK® One-Way
Zipper


Dapro Diamond Jacket

PRODUCT CODE: WDIAJUH-W-RE*


C4 Certification and fabric information




EN ISO 13688:2013
(EN 340:2003)




EN ISO 11612:2015
A1 B1 C1 E1 F1




EN ISO 14116:2015
Index 3




EN ISO 11611:2015
A1 Class 1




EN 1149-5:2008



EN 13034:2005
+A1:2009
Type 6




IEC 61482-2:2009
Class 1
ATPV 10,4 cal/cm²




Guardian Lifetime Flame Retardant

- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® metal zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > Welted lower pockets with safety flap and concealed metal snap button closure
- > **Adjustable cuffs** with plastic flame-retardant snap buttons
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Flaming Red *RE

EU 46-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One-Way
Zipper



Double
Gas Loop



Adjustable
Cuffs












Lower Arm
Striping

Dapro Diamond Pant

PRODUCT CODE: WDIAPUHW-RE*

C4 Certification and fabric information

						
EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1 ATPV 10,4 cal/cm²

	<ul style="list-style-type: none"> • 80% Cotton / 19% Polyester / 1% Anti-static • Flame-retardant and Anti-static • Chemical proof • 350 GSM 	
---	---	---

Features

- > Suitable for Continental climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Kneepad pockets** with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Flaming Red *RE

EU 46-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch




YKK® One-Way
Zipper


Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-NB*


C4 Certification and fabric information




EN ISO 13688:2013
(EN 340:2003)




EN ISO 11612:2015
A1 B1 C1 E1 F1




EN ISO 14116:2015
Index 3




EN ISO 11611:2015
A1 Class 1




EN 1149-5:2008



EN 13034:2005
+A1:2009
Type 6




IEC 61482-2:2009
Class 1
ATPV 10,4 cal/cm²



Guardian Lifetime Flame Retardant

- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



FR

Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with **welding flap** and concealed metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with safety flap and flame-retardant plastic snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap and double fabric reinforcement at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Oil Black *BL
EU 46-70	EU 48-66	EU 46-70

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit




Shaped Knee


Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-RB*


C4 Certification and fabric information




EN ISO 13688:2013
(EN 340:2003)




EN ISO 11612:2015
A1 B1 C1 E1 F1




EN ISO 14116:2015
Index 3




EN ISO 11611:2015
A1 Class 1




EN 1149-5:2008



EN 13034:2005
+A1:2009
Type 6




IEC 61482-2:2009
Class 1
ATPV
10,4 cal/cm²



Guardian Lifetime Flame Retardant

- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



FR

Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with **welding flap** and concealed metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with safety flap and flame-retardant plastic snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap and double fabric reinforcement at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Oil Black *BL
EU 46-70	EU 48-66	EU 46-70

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit




Shaped Knee


Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-BL*


C4 Certification and fabric information




EN ISO 13688:2013
(EN 340:2003)




EN ISO 11612:2015
A1 B1 C1 E1 F1




EN ISO 14116:2015
Index 3




EN ISO 11611:2015
A1 Class 1




EN 1149-5:2008



EN 13034:2005
+A1:2009
Type 6




IEC 61482-2:2009
Class 1
ATPV
10,4 cal/cm²



Guardian Lifetime Flame Retardant

- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



FR

Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with **welding flap** and concealed metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with safety flap and flame-retardant plastic snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap and double fabric reinforcement at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Oil Black *BL
EU 46-70	EU 48-66	EU 46-70

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit




Shaped Knee


Dapro Spark Bib

PRODUCT CODE: WSPABUHW-NB*


C4 Certification and fabric information




EN ISO 13688:2013
(EN 340:2003)




EN ISO 11612:2015
A1 B1 C1 E1 F1




EN ISO 14116:2015
Index 3




EN ISO 11611:2015
A1 Class 1




EN 1149-5:2008



EN 13034:2005
+A1:2009
Type 6




IEC 61482-2:2009
Class 1
ATPV
10,4 cal/cm²



Guardian Lifetime Flame Retardant

- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



Features

- > Suitable for Continental climate
- > Elastic braces with buckle closure
- > **Zipper fly** closure
- > Chest pocket with safety flap and double concealed metal snap button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > **Side vents** with metal snap button closure behind side pockets
- > Back pockets with fabric reinforcement, safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Kneepad pockets** with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:
Sizes in stock

Navy Blue *NB

EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch




YKK® One-
Way Zipper


Dapro Spark Jacket

PRODUCT CODE: WSPAJUHW-NB*


C4 Certification and fabric information




EN ISO 13688:2013
(EN 340:2003)




EN ISO 11612:2015
A1 B1 C1 E1 F1




EN ISO 14116:2015
Index 3




EN ISO 11611:2015
A1 Class 1




EN 1149-5:2008



EN 13034:2005
+A1:2009
Type 6




IEC 61482-2:2009
Class 1
ATPV 10,4 cal/cm²




Guardian Lifetime Flame Retardant

- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with **welding flap** and concealed metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > Welled lower pockets with safety flap and concealed metal snap button closure
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB

EU 48-66

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Double
Gas Loop



Adjustable
Cuffs












Lower Arm
Striping

Dapro Spark Pant

PRODUCT CODE: WSPAPUHW-NB*

C4 Certification and fabric information

						
EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1 ATPV 10,4 cal/cm²

	<ul style="list-style-type: none"> Guardian Lifetime Flame Retardant 80% Cotton / 19% Polyester / 1% Anti-static Flame-retardant and Anti-static Chemical proof 350 GSM 	
---	--	---

Features

- > Suitable for Continental climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Kneepad pockets** with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB

EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One-
Way Zipper


Dapro Rope Access Coverall

PRODUCT CODE: WROACUHW-NB*

platinum range





C4 Certification and fabric information



Features

- > Suitable for Continental climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > **Name patches** with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, **vislon zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, **vislon zipper** and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB Vibrant Orange *OR

EU 48-64

EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs



Action
Armpit



Shaped Knee


Dapro Rope Access Coverall

PRODUCT CODE: WROACUHW-OR*

platinum range





C4 Certification and fabric information



Features

- > Suitable for Continental climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > **Name patches** with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, **vislon zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, **vislon zipper** and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB Vibrant Orange *OR

EU 48-64

EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs



Action
Armpit



Shaped Knee

Dapro Rope Access Coverall

PRODUCT CODE: WROACIFR-OR*

platinum range



C4-A Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1B1C1F1



EN ISO
14116:2015
Index 3



EN ISO 11611:
2015
A1 Class 1



EN 1149-5:
2008



EN 13034:2005
+A1:2009
Type 6



IEC 61482-
2:2009
Class 1





Guardian
Inherent
Flame
Retardant

- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM



Features

- > Suitable for Temperate climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > **Name patches** with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, **vislon zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, **vislon zipper** and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Vibrant Orange *OR

EU 50-62

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs



Action
Armpit



Shaped Knee

Dapro Globe-Tech Coverall

PRODUCT CODE: WGTECHC-BL/HVYE*

platinum range



C4-A Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO 11612:2015
A1 B1 C1 F1



EN ISO 14116:2015
Index 3



EN ISO 11611:2015
A1 Class 1



EN 1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC 61482-2:2009
Class 1





Guardian
Inherent
Flame
Retardant

- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM



Features

- > Suitable for Temperate climate
- > Extra high collar protects against heavy wind and rain
- > High-visibility Yellow at front and back yoke
- > Center front with **welding flap** and concealed plastic flame-retardant snap button closure
- > **Gas detector loops** on chest at both sides
- > Ergonomically shaped arms
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > Chest pockets with safety flap and concealed nylon zipper closure
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** behind side pockets
- > Back pockets with safety flap and concealed plastic flame-retardant snap button closure
- > **Cargo pocket** with safety flap and double concealed plastic flame-retardant snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs** with plastic flame-retardant snap buttons
- > High-visibility piping details on chest pockets, back pockets, cargo pocket, tool pocket and lower legs
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Oil Black Hi-Vis Yellow *BL/HVYE

EU 50-62

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One-
Way Zipper



Double
Gas Loop



Adjustable
Cuffs



Shaped Knee
Cuffs

Dapro Globe-Tech Bib

PRODUCT CODE: WGTECHB-BL/HVYE*

platinum range



C4-A Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO 11612:2015
A1 B1 C1 F1



EN ISO 14116:2015
Index 3



EN ISO 11611:2015
A1 Class 1



EN 1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC 61482-2:2009
Class 1



Guardian
Inherent
Flame
Retardant

- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM



Features

- > Suitable for Temperate climate
- > Elastic braces with buckle closure
- > **Zipper fly** closure
- > Chest pocket with safety flap and concealed plastic flame-retardant snap button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** with concealed plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed plastic flame-retardant snap button closure
- > **Cargo pocket** with safety flap and double concealed plastic flame-retardant snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > High-visibility piping details on chest pocket, back pockets, cargo pocket, tool pocket and lower legs
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock

Oil Black Hi-Vis Yellow *BL/HVYE

EU 50-62

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Shaped Knee

Dapro Globe-Tech Jacket

PRODUCT CODE: WGTECHJ-BL/HVYE*

platinum range



C4-A Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1




Guardian
Inherent
Flame
Retardant

- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM



Features

- > Suitable for Temperate climate
- > Extra high collar to protect against heavy wind and rain
- > High-visibility Yellow at front and back yoke
- > Center front with concealed YKK® metal zipper with rubber puller and hook-and-loop closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Ergonomically shaped arms
- > Weltd lower pockets with safety flap and hook-and-loop closure
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > High-visibility piping details on chest pockets and lower pockets
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Oil Black Hi-Vis Yellow *BL/HVYE

EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One-
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro Globe-Tech Pant

PRODUCT CODE: WGTECHP-BL/HVYE*

platinum range



C4-A Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Inherent
Flame
Retardant

- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM



Features

- > Suitable for Temperate climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with concealed hook-and-loop closure
- > Back pockets with safety flap and concealed plastic flame-retardant snap button closure
- > **Cargo pocket** with safety flap and double concealed plastic flame-retardant snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > High-visibility piping details on back pockets, cargo pocket, tool pocket and lower legs
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Oil Black Hi-Vis Yellow *BL/HVYE

EU 50-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Shaped Knee

Dapro Globe-Tech Polo

PRODUCT CODE: WGTECHLP-BL/HVYE*

platinum range



C22 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1B1C1



IEC 61482-2:2018
APC1
ATPV=6.3cal/cm²



EN 13758-
2:2003+A1:2006




EN 1149-5:2018
EN1149-3:2004



Inherent • 60% Modacrylic / 38% Cotton / 2% Dissipative Fiber
Flame • Flame-retardant and Anti-static
Retardant • 220 GSM

Features

- > Suitable for Temperate climate
- > Collar closed with plastic flame-retardant sew-on buttons
- > High-visibility Yellow at front and back yoke
- > Chest pocket at left hand side
- > Elastic cuffs



Available in colors:

Sizes in stock

Oil Black Hi-Vis Yellow *BL/HVYE

US M-2XL

Available on request: US 2XS-6XL



Extensive
Bartacks

5 Thread
Safety Stitch

Dapro Globe-Tech Shirt

PRODUCT CODE: WGTECHS-BL/HVYE*

platinum range



C4-A Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO 11612:2015
A1 B1 C1 F1



EN ISO 14116:2015
Index 3



EN ISO 11611:2015
A1 Class 1



EN 1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC 61482-2:2009
Class 1




Guardian
Inherent
Flame
Retardant

- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM



Features

- > Suitable for Temperate climate
- > Fusing, interlining material in collar
- > Center front with concealed plastic flame-retardant snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed plastic flame-retardant snap button closure
- > **Adjustable cuffs** with concealed plastic flame-retardant snap button closure
- > High-visibility piping details on chest pockets and back yoke



Available in colors:

Sizes in stock

Oil Black Hi-Vis Yellow *BL/HVYE

EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Double
Gas Loop



Adjustable
Cuffs

Dapro Globe-Tech Sweater

PRODUCT CODE: WGTECHSW-BL/HVYE*

platinum range



C23 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO 11612:2015
A1B1C1F1



IEC 61482-2:2018
APC1
ATPV=20.4cal/
cm²



EN 13758-2:2003+A1:2006




EN 1149-5:2018
EN1149-3:2004



Inherent • 60% Modacrylic / 38% Cotton / 2% Dissipative Fiber
Flame • Flame-retardant and Anti-static
Retardant • 220 GSM

Features

- > Suitable for Temperate climate
- > High-visibility Yellow at front and back yoke
- > Chest pocket at left hand side
- > Elastic cuffs and hem



Available in colors:

Sizes in stock

Oil Black Hi-Vis Yellow *BL/HVYE

US M-3XL

Available on request: US 2XS-6XL



Extensive
Bartacks



5 Thread
Safety Stitch

Dapro Volt Hi-Vis Class 2 Coverall

PRODUCT CODE: WVOL2C-NB/HVYE*

platinum range



C4-A-3 Certification and fabric information

--	--	--	--	--	--	--	--





Guardian
Inherent
Flame
Retardant

- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM



Features

- > Suitable for Temperate climate
- > Standing collar for extra protection
- > Center front with **welding flap** and concealed plastic flame-retardant snap button closure
- > **Gas detector loops** at chest
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and plastic flame-retardant snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Chest pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Side pockets with hook-and-loop closure
- > **Side vents** with concealed plastic flame-retardant snap button closure
- > Back pockets with safety flap and concealed plastic flame-retardant snap button closure
- > **Cargo pocket** with safety flap and double concealed plastic flame-retardant snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Adjustable cuffs and hems** with plastic flame-retardant snap buttons
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Navy Blue Hi-Vis Yellow *NB/HVYE

EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two-
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Kneepads

PRODUCT CODE: WSKNE-EB*

Features

- > Light weight and comfortable
- > Resilient and flexible
- > Ergonomic design



Available in colors:

Electric Blue *EB

Sizes in Stock: One Size

prolux[®]

adapts brilliantly

Prolux reflective striping is specifically developed for industrial **workwear** and **outerwear**.

Visibility in dark and hazardous environments greatly reduces the risk of accidents. This can be on railways, roads, construction areas or industrial areas.

Aside from its **exceptional** reflective properties, our product offers great **durability** with **industrial** laundering

Retro-reflective

450 cd/lx m² @ Observation Angle 12° / entrance angle 5°

Composition:

Glass bead 30% / Resin 30% / Highly durable FR backing cloth 30% / Other materials 10%

NFPA 1971

NFPA 1971 protects fire fighting personnel by establishing minimum levels of protection from thermal, physical, environmental, and bloodborne pathogen hazards encountered during structural and proximity fire fighting operations.

OEKO-TEX[®] Standard 100

If a textile article carries the STANDARD 100 label, you can be certain that every component of this article, i.e. every thread, button and other accessories, has been tested for harmful substances and that the article therefore is harmless for human health.

www.prolux-reflective.com

Certificate Standards

EN 20471:2013

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for "high visibility clothing which is capable of visually signalling the user's presence" and assesses the suitability and durability of retro-reflective materials.

EN 469:2005

This standard specifies minimum levels of performance requirements for protective clothing to be worn during firefighting operations and associated activities such as e.g. rescue work, assistance during disasters.

EN ISO 14116:2008

This standard specifies the minimum requirements for protective clothing against heat and flame. The standard outlines the performance requirements for clothing materials and garments that are designed to protect against limited flame spread and radiant heat.

EN ISO 11612

This standard outlines the performance requirements for clothing materials and garments in terms of their ability to resist heat and flame, and to provide effective protection for the wearer. EN ISO 11612 specifies test methods for determining the clothing's ability to resist heat and flame, as well as requirements for the material's strength and dimensional stability.

SUBZERO[®]

INSULATION

SubZero insulation is an intermeshed cotton material which forms a mass of fiber to trap air in between the outerlayer of the shoe and your foot.

This **breathable high resilient** and **loft** material provides **durable warmth** retention with **light weight** properties for extra **freedom of movement** and **comfort**.

The perfect combination to use in protective workwear developed to work in hazardous environments.

Properties

SUBZERO[®]
INSULATION

SUBZERO[®]
INSULATION

SUBZERO[®]
INSULATION

SUBZERO[®]
INSULATION

Weight

100 GSM

150 GSM

250 GSM

300 GSM

Warmth



Composition:

100% intermeshed polyester

SubZero is clean, odorless and non allergenic, machine washable and dryable.



www.subzero-insulation.com



OUTERWEAR




Size guide Coverall/Jacket

SIZE			LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	M	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116

Size guide Pants

SIZE			WAIST (C)	HIP (D)	INSEAM (E)
42	32	3XS	74-85	87-98	70-76
44	34	2XS	77-88	89-100	71-77
46	36	XS	80-91	91-102	72-78
48	38	S	83-94	93-104	74-80
50	40	M	86-97	95-106	75-81
52	42		88-100	97-109	76-82
54	44	L	91-103	100-112	79-85
56	46		94-106	103-115	80-86
58	48	XL	96-109	105-118	81-87
60	50		99-112	108-121	82-88
62	52	2XL	102-115	111-124	83-89
64	54		105-118	114-127	84-90
66	56	3XL	111-124	117-130	84-90
68	58		117-130	120-133	84-90
70	60	4XL	123-136	123-136	84-90

Measurements shown in centimeters



Iconography



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-Way
Zipper



YKK® Two-
Way Zipper



Single
Gas Loop



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs




Action
Armpit



Shaped Knee


Wearers side




Dapro Phase 1 Jacket

PRODUCT CODE: OPHA1J-NB*


C15-1 Certification and fabric information




 Guardian H2O Flame Retardant
 • 98% Polyester / 2% Anti-static
 • Flame-retardant and Anti-static
 • H2O water & windproof
 • Water, oil, grease and dirt repellent finish
 • 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > **Goggle pocket** behind stormflap with concealed nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective press-on striping



Available in colors:

Navy Blue *NB

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Double
Gas Loop




Lower Arm
Striping

Dapro Phase 1 Jacket

PRODUCT CODE: OPHA1J-NB/HVYE*


C15-2 Certification and fabric information




 Guardian H2O
 Lifetime Flame Retardant
 • 98% Polyester / 2% Anti-static
 • Flame-retardant and Anti-static
 • H2O water & windproof
 • Water, oil, grease and dirt repellent finish
 • 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > **Goggle pocket** behind stormflap with concealed nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective press-on striping



Available in colors:

Navy Blue | Hi-Vis Yellow | *NB/HVYE | Navy Blue | Hi-Vis Orange | *NB/HVOR

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Double
Gas Loop




Lower Arm
Striping

Dapro Phase 1 Jacket

PRODUCT CODE: OPHA1J-NB/HVOR*


C15-2 Certification and fabric information




 Guardian H2O
 Lifetime Flame Retardant
 • 98% Polyester / 2% Anti-static
 • Flame-retardant and Anti-static
 • H2O water & windproof
 • Water, oil, grease and dirt repellent finish
 • 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > **Goggle pocket** behind stormflap with concealed nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective press-on striping



Available in colors:

Navy Blue | Hi-Vis Yellow | *NB/HVYE | Navy Blue | Hi-Vis Orange | *NB/HVOR

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Double
Gas Loop



Lower Arm
Striping

Dapro Access Jacket

PRODUCT CODE: OACCJ-NB*

C9-1 Jacket Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: Index 1
Inner: Index 3



EN 1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN 343:2019




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loop** on chest at right hand side
- > **Goggle pocket** behind storm flap with concealed nylon zipper closure
- > **Inside pocket** with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Navy Blue *NB

US XS-4XL

Oil Black *BL

US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Single
Gas Loop

Dapro Access Jacket

PRODUCT CODE: OACCJ-BL*

C9-1 Jacket Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: Index 1
Inner: Index 3



EN 1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN 343:2019




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loop** on chest at right hand side
- > **Goggle pocket** behind storm flap with concealed nylon zipper closure
- > **Inside pocket** with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue *NB

US XS-4XL

Oil Black *BL

US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Single
Gas Loop

Dapro Access Jacket

PRODUCT CODE: OACCJ-NB/HVYE*

C9-2 Jacket Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: Index 1
Inner: Index 3



EN 1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN 343:2019



EN ISO 20471:2013
+A1:2016




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loop** on chest at right hand side
- > **Goggle pocket** behind storm flap with concealed nylon zipper closure
- > **Inside pocket** with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Navy Blue

Hi-Vis Yellow

*NB/HVYE

US S-4XL

Navy Blue

Hi-Vis Orange

*NB/HVOR

US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Single
Gas Loop



Lower Arm
Striping



Dapro Access Jacket

PRODUCT CODE: OACCJ-NB/HVOR*

C9-2 Jacket Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: Index 1
Inner: Index 3



EN 1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN 343:2019



EN ISO 20471:2013
+A1:2016




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loop** on chest at right hand side
- > **Goggle pocket** behind storm flap with concealed nylon zipper closure
- > **Inside pocket** with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Navy Blue

Hi-Vis Yellow

*NB/HVYE

Navy Blue

Hi-Vis Orange

*NB/HVOR

US S-4XL

US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Single
Gas Loop



Lower Arm
Striping

Dapro Access Bomber Jacket

PRODUCT CODE: OACCBJ-NB/HVOR*

C9-2 Jacket Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: Index 1
Inner: Index 3



EN 1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN 343:2019



EN ISO 20471:2013
+A1:2016



Guardian H2O Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loop** on chest at left hand side
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > **Goggle pocket** with concealed nylon zipper closure behind stormflap
- > **Inside pocket** with safety flap and concealed nylon zipper closure at left hand side
- > Elastic waistband for improved fit
- > Slanted lower pockets with safety flap and concealed **vislon zipper** closure
- > **Adjustable cuffs** with hook-and-loop closure
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping


Available in colors:

Sizes in stock

Navy Blue Hi-Vis Orange *NB/HVOR

US S-4XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Single
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro Infinity Jacket

PRODUCT CODE: OINFJ-NB*

C9-1 Jacket Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: Index 1
Inner: Index 3



EN 1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN 343:2019




Guardian H2O Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and hook-and-loop closure
- > **ID-flap** behind left hand side chest pocket flap
- > **Goggle pocket** behind storm flap with nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Navy Blue *NB

US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Double
Gas Loop



Adjustable
Cuffs

Dapro Infinity Jacket

PRODUCT CODE: OINFJ-NB/HVYE*

C9-2 Jacket Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and hook-and-loop closure
- > **ID-flap** behind left hand side chest pocket flap
- > **Goggle pocket** behind storm flap with nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Navy Blue

Hi-Vis Yellow

*NB/HVYE

Navy Blue

Hi-Vis Orange

*NB/HVOR

US XS-4XL

US XS-4XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Double
Gas Loop



Adjustable
Cuffs

Dapro Infinity Jacket

PRODUCT CODE: OINFJ-NB/HVOR*

C9-2 Jacket Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: Index 1
Inner: Index 3



EN 1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN 343:2019



EN ISO 20471:2013
+A1:2016




Guardian H2O Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and hook-and-loop closure
- > **ID-flap** behind left hand side chest pocket flap
- > **Goggle pocket** behind storm flap with nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Navy Blue

Hi-Vis Yellow

*NB/HVYE

Navy Blue

Hi-Vis Orange

*NB/HVOR

US XS-4XL

US XS-4XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Double
Gas Loop



Adjustable
Cuffs

Dapro Globe-Tech Jacket

PRODUCT CODE: OGTECHJ-BL/HVYE*

platinum range



C15-1 Certification and fabric information



Guardian H2O Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 300 GSM

Features

- > Fully taped seams
- > High-visibility Yellow at front and back yoke
- > Center front with concealed YKK® **vislon zipper** with rubber puller and hook-and-loop closure
- > **Gas detector loops** at chest
- > Spacious chest pocket with safety flap and hook-and-loop closure at right hand side
- > **Goggle pocket** behind storm flap with nylon zipper
- > Ergonomically shaped arms
- > Weltd lower pockets with safety flap and hook-and-loop closure
- > **Adjustable cuffs** with hook-and-loop closure
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > High-visibility piping details on center front and lower pockets
- > Prolux® 50mm flame-retardant reflective press-on striping


Available in colors:

Sizes in stock

Oil Black Hi-Vis Yellow *BL/HVYE

US S-3XL

Available on request: US XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Double
Gas Loop



Adjustable
Cuffs

Dapro Spectre Softshell Jacket

PRODUCT CODE: OSPEJ-NB/HVYE*

platinum range



C19-2 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO 11612:2015
A1 A2 B1 C2 F1



EN ISO 11611:2015
A1 A2 Class 2



EN 1149-5:2018



IEC 61482-2:2018



EN 13034:2005
+A1:2009
Type PB[G]



EN ISO 20471:2013/
A1:2016




Guardian
H2O Softshell
Lifetime
Flame
Retardant

- 48% Modacrylic / 33% Cotton / 18% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water repellent & windproof
- Chemical proof
- 400 GSM

Features

- > Center front with **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > Welled vertical chest pockets with concealed nylon zipper closure
- > **Inside pocket** with snap button closure at both sides
- > Welled lower pockets with concealed zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Compatible with Dapro outerwear jackets
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:
Sizes in stock

Navy Blue Hi-Vis Yellow *NB/HVYE

US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Water
repellent



YKK® One-Way
Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro PU Hydrolite Rainsuit

PRODUCT CODE: OPUHR-NB*

C20 Certification and fabric information

					<ul style="list-style-type: none"> • 50% PU / 50% Modacrylic • Flame-retardant and Anti-static • 190 GSM
EN ISO 13688:2013 (EN 340:2003)	EN ISO 14116:2015 Index 1	EN 1149-5: 2008	EN 343:2003 +A1:2007		

Features

JACKET

- > Fully taped seams
- > Adjustable hood with drawcord concealed in the collar
- > Extra high collar to protect against heavy wind and rain
- > Center front with plastic snap button closure
- > Lower pockets with safety flap
- > Ventilation in back
- > Windcatcher in sleeves
- > Reflective striping on sleeves

Also available separately:

Dapro PU Hydrolite Jacket

PRODUCT CODE: OPUHJ-NB*

Dapro PU Hydrolite Pant

PRODUCT CODE: OPUHP-NB*

PANTS

- > Fully taped seams
- > Elastic waist for improved ergonomics
- > **Adjustable hems** with plastic snap button closure
- > Reflective striping on legs



Available in colors:
Sizes in stock

Navy Blue *NB

US S-3XL

Available on request: US 2XS-5XL



Breathable
Fabric



Waterproof

Dapro Protector 2 Coverall Reflect

PRODUCT CODE: OPRO2CR-HVOR*

platinum range



C9-3 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: index 1
Inner: index 3



EN 1149-5:2018



EN 13034:2005
+A1:2009
Type 6



EN 343:2019



EN ISO 20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Including zip-in hood with elastic cord, nylon zipper and hook-and-loop attachment
- > Center front with storm flap, YKK® two-way **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > 3D chest and upper leg pockets with safety flap and hook-and-loop closure
- > **Goggle pocket** behind storm flap with nylon zipper closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and hook-and-loop closure behind side pockets
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Adjustable cuffs** with strap and plastic flame-retardant snap buttons
- > Concealed **vislon zipper** with hook-and-loop closure at ankle to pull coverall over boots
- > Prolux® 50mm & 25mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Hi-Vis Orange *HVOR

US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Waterproof



YKK® Two-
Way Zipper



Single
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro Protector Bib

PRODUCT CODE: OPROB-NB/HVYE*

C9-2 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: index 1
Inner: index 3



EN 1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN 343:2019



EN ISO 20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Elastic braces with buckle closure
- > Welted chest pocket with concealed hook-and-loop closure
- > Sides closed with concealed metal snap buttons
- > Elastic waistband for improved fit
- > **Zipper fly** closure
- > Side pockets with safety flap and hook-and-loop closure
- > **Side vents** behind side pockets
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock

Navy Blue

Hi-Vis Yellow

*NB/HVYE

Navy Blue

Hi-Vis Orange

*NB/HVOR

US S-2XL

US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One-
Way Zipper



Breathable
Fabric



Waterproof

Dapro Protector Bib

PRODUCT CODE: OPROB-NB/HVOR*

C9-2 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Elastic braces with buckle closure
- > Welled chest pocket with concealed hook-and-loop closure
- > Sides closed with concealed metal snap buttons
- > Elastic waistband for improved fit
- > **Zipper fly** closure
- > Side pockets with safety flap and hook-and-loop closure
- > **Side vents** behind side pockets
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Navy Blue

Hi-Vis Yellow

*NB/HVYE

Navy Blue

Hi-Vis Orange

*NB/HVOR

US S-2XL

US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One-
Way Zipper



Breathable
Fabric



Waterproof

Dapro Protector Pant

PRODUCT CODE: OPROP-NB*

C9-1 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: index 1
Inner: index 3



EN 1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN 343:2019



- Guardian H2O Lifetime Flame Retardant
- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Elastic waistband for improved fit
- > 7 Beltloops
- > **Zipper fly** with metal snap button and hook-and-eye closure
- > Side pockets with safety flap and hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Navy Blue *NB

US S-4XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper

Dapro Protector Pant

PRODUCT CODE: OPROP-NB/HVYE*

C9-2 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: index 1
Inner: index 3



EN 1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN 343:2019



EN ISO 20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Elastic waistband for improved fit
- > 7 Beltloops
- > **Zipper fly** with metal snap button and hook-and-eye closure
- > Side pockets with safety flap and hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Navy Blue

Hi-Vis Yellow

*NB/HVYE

Navy Blue

Hi-Vis Orange

*NB/HVOR

US S-3XL

US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper

Dapro Protector Pant

PRODUCT CODE: OPROP-NB/HVOR*

C9-2 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: index 1
Inner: index 3



EN 1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN 343:2019



EN ISO 20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Elastic waistband for improved fit
- > 7 Beltloops
- > **Zipper fly** with metal snap button and hook-and-eye closure
- > Side pockets with safety flap and hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Navy Blue

Hi-Vis Yellow

*NB/HVYE

Navy Blue

Hi-Vis Orange

*NB/HVOR

US S-3XL

US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper

Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB*

C9-1 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Center front with concealed **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** on chest at right hand side
- > 3D chest pocket with safety flap and hook-and-loop closure at left hand side
- > **ID-flap** behind left hand side chest pocket flap
- > **Inside pocket** with nylon zipper at left hand side
- > Weltd lower pockets with safety flap and concealed hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping
- > Certification only valid when worn with C9 outerwear jacket



Available in colors:

Sizes in stock

Navy Blue *NB

US XS-4XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper




Single
Gas Loop

Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB/HVYE*

C9-2 Certification and fabric information




GUARDIAN
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Center front with concealed **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** on chest at right hand side
- > 3D chest pocket with safety flap and hook-and-loop closure at left hand side
- > **ID-flap** behind left hand side chest pocket flap
- > **Inside pocket** with nylon zipper at left hand side
- > Weltd lower pockets with safety flap and concealed hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping
- > Certification only valid when worn with C9 outerwear jacket



Available in colors:
Sizes in stock

Navy Blue	Hi-Vis Yellow	*NB/HVYE	Navy Blue	Hi-Vis Orange	*NB/HVOR
US XS-5XL			US S-4XL		

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Single
Gas Loop

Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB/HVOR*

C9-2 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: index 1
Inner: index 3



EN 1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN 343:2019



EN ISO 20471:2013
+A1:2016




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Center front with concealed **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** on chest at right hand side
- > 3D chest pocket with safety flap and hook-and-loop closure at left hand side
- > **ID-flap** behind left hand side chest pocket flap
- > **Inside pocket** with nylon zipper at left hand side
- > Weltd lower pockets with safety flap and concealed hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping
- > Certification only valid when worn with C9 outerwear jacket



Available in colors:

Sizes in stock

Navy Blue

Hi-Vis Yellow

*NB/HVYE

Navy Blue

Hi-Vis Orange

*NB/HVOR

US XS-5XL

US S-4XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-
Way Zipper



Single
Gas Loop

Dapro Basic Fleece

PRODUCT CODE: OBASF-BL*

Certification and fabric information




EN ISO 13688:2013
(EN 340:2003)



Guardian Fleece • 100% Polyester
• 260 GSM

Features

- > Center front with **vislon zipper** closure
- > **Inside pocket** with concealed nylon zipper closure at left hand side
- > Welled slanted lower pockets with concealed nylon zipper closure
- > System loops at sleeves and neck for compatibility with outerwear jackets
- > Elastic cuffs for improved ergonomics and ultimate comfort



Available in colors:
Sizes in stock

Oil Black *BL

US S-4XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



YKK® One-
Way Zipper

Dapro Defender Fleece

PRODUCT CODE: ODEFF-NB*

C11-A Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



IEC
61482-2:2009
ATPV:5.1cal/cm2




Guardian
Fleece
Lifetime
Flame
Retardant

- 60% Modacrylic / 38% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- 320 GSM

Features

- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Inside pocket** with concealed nylon zipper closure at left hand side
- > Weltd slanted lower pockets with safety flap and concealed nylon zipper closure
- > System loops at sleeves and neck for compatibility with outerwear jackets
- > Elastic cuffs for improved ergonomics and ultimate comfort



Available in colors:

Sizes in stock

Navy Blue *NB

US XS-4XL

Royal Blue *RB

US XS-4XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One-
Way Zipper

Dapro Defender Fleece

PRODUCT CODE: ODEFF-RB*

C11-A Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



IEC
61482-2:2009
ATPV:5.1cal/cm2




Guardian
Fleece
Lifetime
Flame
Retardant

- 60% Modacrylic / 38% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- 320 GSM

Features

- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Inside pocket** with concealed nylon zipper closure at left hand side
- > Weltd slanted lower pockets with safety flap and concealed nylon zipper closure
- > Elastic cuffs for improved ergonomics and ultimate comfort
- > System loops at sleeves and neck for compatibility with outerwear jackets



Available in colors:
Sizes in stock

Navy Blue *NB

US XS-4XL

Royal Blue *RB

US XS-4XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One-
Way Zipper

Dapro Offshore Bag

PRODUCT CODE: SOFFT BAG-BL*

Features

- > Robust and water-resistant offshore bag
- > Backpack function
- > Ergonomic adjustable shoulder straps
- > Hard flexible corner protection
- > Enforced water resistant zippers
- > A large protected namecard holder
- > Extra zipper pocket for covering shoulder straps
- > Handles on both ends
- > Padded shoulder strap for ultimate comfort
- > Size:
 - Length: 60cm
 - Width: 30cm
 - Height: 30cm



Available in colors:

Black *BL

Dapro C9 Hood

PRODUCT CODE: OC9HO-NB*

Fabric according to C9 Certification and fabric information

Norms with C9 outerwear jacket



EN ISO 13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

Features



- > Attaches easily to jacket with snap buttons and zipper
- > Foldable and stowable in outerwear jacket collar
- > To be worn with C9 outerwear jacket

Available in colors:
Sizes in stock

Navy Blue *NB

US 2XS-4XL

Available on request: US 2XS-5XL



Breathable
Fabric



Waterproof

prolux[®]

adapts brilliantly

Prolux reflective striping is specifically developed for industrial **workwear** and **outerwear**.

Visibility in dark and hazardous environments greatly reduces the risk of accidents. This can be on railways, roads, construction areas or industrial areas.

Aside from its **exceptional** reflective properties, our product offers great **durability** with **industrial** laundering

Retro-reflective

450 cd/lx m² @ Observation Angle 12° / entrance angle 5°

Composition:

Glass bead 30% / Resin 30% / Highly durable FR backing cloth 30% / Other materials 10%

NFPA 1971

NFPA 1971 protects fire fighting personnel by establishing minimum levels of protection from thermal, physical, environmental, and bloodborne pathogen hazards encountered during structural and proximity fire fighting operations.

OEKO-TEX[®] Standard 100

If a textile article carries the STANDARD 100 label, you can be certain that every component of this article, i.e. every thread, button and other accessories, has been tested for harmful substances and that the article therefore is harmless for human health.

www.prolux-reflective.com

Certificate Standards

EN 20471:2013

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for "high visibility clothing which is capable of visually signalling the user's presence" and assesses the suitability and durability of retro-reflective materials.

EN 469:2005

This standard specifies minimum levels of performance requirements for protective clothing to be worn during firefighting operations and associated activities such as e.g. rescue work, assistance during disasters.

EN ISO 14116:2008

This standard specifies the minimum requirements for protective clothing against heat and flame. The standard outlines the performance requirements for clothing materials and garments that are designed to protect against limited flame spread and radiant heat.

EN ISO 11612

This standard outlines the performance requirements for clothing materials and garments in terms of their ability to resist heat and flame, and to provide effective protection for the wearer. EN ISO 11612 specifies test methods for determining the clothing's ability to resist heat and flame, as well as requirements for the material's strength and dimensional stability.

SUBZERO[®]

INSULATION

SubZero insulation is an intermeshed cotton material which forms a mass of fiber to trap air in between the outerlayer of the shoe and your foot.

This **breathable high resilient** and **loft** material provides **durable warmth** retention with **light weight** properties for extra **freedom of movement** and **comfort**.

The perfect combination to use in protective workwear developed to work in hazardous environments.

Properties

SUBZERO[®]
INSULATION

SUBZERO[®]
INSULATION

SUBZERO[®]
INSULATION

SUBZERO[®]
INSULATION

Weight

100 GSM

150 GSM

250 GSM

300 GSM

Warmth



Composition:

100% intermeshed polyester

SubZero is clean, odorless and non allergenic, machine washable and dryable.



www.subzero-insulation.com



BASELAYER




Size guide Coverall/Jacket

SIZE			LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	M	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116

Size guide Pants

SIZE			WAIST (C)	HIP (D)	INSEAM (E)
42	32	3XS	74-85	87-98	70-76
44	34	2XS	77-88	89-100	71-77
46	36	XS	80-91	91-102	72-78
48	38	S	83-94	93-104	74-80
50	40	M	86-97	95-106	75-81
52	42		88-100	97-109	76-82
54	44	L	91-103	100-112	79-85
56	46		94-106	103-115	80-86
58	48	XL	96-109	105-118	81-87
60	50		99-112	108-121	82-88
62	52	2XL	102-115	111-124	83-89
64	54		105-118	114-127	84-90
66	56	3XL	111-124	117-130	84-90
68	58		117-130	120-133	84-90
70	60	4XL	123-136	123-136	84-90

Measurements shown in centimeters



Iconography



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One-Way
Zipper



YKK® Two-
Way Zipper



Single
Gas Loop



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs




Action
Armpit



Shaped Knee

Wearers side



Dapro Balaclava

PRODUCT CODE: UBAL-BL*

C1 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



Guardian
Knit
Inherent
Flame
Retardant

- 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Nylon / 2 % Anti-static
- Flame-retardant and Anti-static
- 250 GSM



Features

- > Unisex, one size fits all
- > Comfortable fit
- > Breathable and stretchable fabric



Available in colors:
Sizes in stock

Black *BL

One Size

Dapro Polar Balaclava

PRODUCT CODE: UPOLBAL-BL*

C1 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



Guardian
Knit
Inherent
Flame
Retardant

- 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Nylon / 2 % Anti-static
- Flame-retardant and Anti-static
- 250 GSM



Features

- > Unisex, one size fits all
- > Comfortable fit
- > Breathable and stretchable fabric
- > Double insulating fabric layer



Available in colors:
Sizes in stock

Black *BL

One Size

Dapro Frost Multi-Use Neck Warmer

PRODUCT CODE: UFRON-BL*

C1 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



Guardian
Knit
Inherent
Flame
Retardant

- 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Nylon / 2 % Anti-static
- Flame-retardant and Anti-static
- 250 GSM



Features

- > Unisex, one size fits all

Available in colors:
Sizes in stock

Oil Black *BL

One Size



Dapro Frost Underwear Shirt

PRODUCT CODE: UFROS-BL*

C1 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



Guardian
Knit
Inherent
Flame
Retardant

- 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Nylon / 2 % Anti-static
- Flame-retardant and Anti-static
- 250 GSM



Features

- > Comfortable fit
- > Breathable and stretchable fabric



Available in colors:
Sizes in stock

Oil Black *BL

US S-3XL

Available on request: US 2XS-5XL



Breathable
Fabric

Dapro Frost Underwear Pant

PRODUCT CODE: UFROP-BL*

C1 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



Guardian
Knit
Inherent
Flame
Retardant

- 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Nylon / 2 % Anti-static
- Flame-retardant and Anti-static
- 250 GSM



Features

- > Comfortable fit
- > Breathable and stretchable fabric



Available in colors:
Sizes in stock

Oil Black *BL

US S-3XL

Available on request: US 2XS-5XL



Breathable
Fabric

Dapro Phoenix Socks

PRODUCT CODE: UPHOSO-NB*

Fabric information



- 75% Cotton / 17% Polyester / 8% Spandex

Features

- > Comfortable fit
- > Breathable sweat-absorbent and stretchable fabric
- > Fully fashioned knit
- > Anti-bacterial



Available in colors:
Sizes in stock

Navy Blue *NB

Black *BL

EU 36-40/M (women)
EU 41-46/L (men)



Breathable
Fabric

Dapro Phoenix Socks

PRODUCT CODE: UPHOSO-BL*

Fabric information



- 75% Cotton / 17% Polyester / 8% Spandex

Features

- > Comfortable fit
- > Breathable sweat-absorbent and stretchable fabric
- > Fully fashioned knit
- > Anti-bacterial

Available in colors:
Sizes in stock

Navy Blue *NB

Black *BL

EU 36-40/M (women)
EU 41-46/L (men)



Breathable
Fabric



EYEWEAR

Dapro Offshore Glasses

PRODUCT CODE: EOFF-NB/CL*

Certification

Frame Marking Lens Marking



Features

- > Curved based polycarbonate lens for perfect 180 degrees vision
- > 4A coated lens, anti-scratch, anti UV, antistatic and anti-fog
- > Adjustable side arm lengths for maximum adaptability
- > Extremely tough rubber hinges
- > Impact resistance 6mm steel ball at 45 m/s
- > UV absorption 100% up to 390nm
- > Heat resistant up to 80 degrees Celsius
- > Abrasion resistant as per EN 166 standard
- > Also suitable for protection against fireworks and as sports glasses/ cycling glasses



Available in colors:
Sizes in stock

Navy blue Dark Lens *NB/DA Navy blue Clear Lens *NB/CL
One Size

Dapro Offshore Glasses

PRODUCT CODE: EOFF-NB/DA*

Certification



CE DAP EN 166 F CE 5-3,1 DAP 1F

Features

- > Curved based polycarbonate lens for perfect 180 degrees vision
- > 4A coated lens, anti-scratch, anti UV, antistatic and anti-fog
- > Adjustable side arm lengths for maximum adaptability
- > Extremely tough rubber hinges
- > Impact resistance 6mm steel ball at 45 m/s
- > UV absorption 100% up to 390nm
- > Heat resistant up to 80 degrees Celsius
- > Abrasion resistant as per EN 166 standard
- > Also suitable for protection against fireworks and as sports glasses/ cycling glasses



Available in colors:
Sizes in stock

Navy blue Dark Lens *NB/DA Navy blue Clear Lens *NB/CL

One Size



FOOTWEAR

Size guide Footwear


SHOE LENGTH (A)

EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	2	3	4	4½	5½	6	6½	7½	8½	9	10	11	12	13
USA	3½	4	5	5½	6½	7	7½	8½	9½	10	11	12	13	14
IN	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Mondopoint	217	225	232	240	247	255	262	270	277	285	292	300	307	315

SHOE WIDTH (B)

EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
D	83	85	87	89	91	93	95	97	99	101	104	106	108	110
E	86	88	90	92	94	96	98	100	102	104	106	109	111	113
EE	88	90	92	95	97	99	101	103	105	107	109	112	114	116
EEE	91	93	95	97	99	102	104	106	108	110	112	114	117	119
EEEE	93	95	97	99	102	105	107	109	111	113	115	117	120	122

Width (B)



Length (A)

Foot width (B) is measured with the subject standing barefoot and the weight of the body equally distributed on both feet. The size of the left and right foot is often slightly different - in this case measure both feet and the shoe size is based on the larger foot.

Mondopoint is based on the mean foot length (A) for which the shoe is suitable, measured in millimeters. The width of a foot (B) is also measured in millimeters.

When establishing your size, base it on your largest measurement.

Iconography



Anti-Slip



Anti-Shock
Heel



Breathable
Leather



Protective
Toe Cap



Water
Resistant
Leather



Water
Proof



Hydrocarbon
Resistant
Sole



Anti
Perforation
Midsole



Anti-Static
Sole

Dapro Offshore C S7 C

PRODUCT CODE: FOFFCS7C-BL/BL*

platinum range



Certification and Information

HR3CS7C					
		Oil	★★★★★	Traction	★★★★★
		Heat	★★★★★	Comfort	★★★★★
		Chemical	★★★★★	Non-marking	★★★★★
		Abrasion	★★★★★		✓
EN ISO 20345:2022	F2413-18				
575 FO SR HRO SC	M/I/C				
EN 61340-5-1:2016	SD10/PR				
ESD	F3445-21				
	SR				

H₂O Barrier

Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel



Available colors and sizes:

Black *BL/BL
EU 37-47

Available on request:

Brown *BR/BR
EU 36-47



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Proof



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
115

Dapro Offshore C S7 C Subzero® T400 Fur

PRODUCT CODE: FOFFCS7CT4S-BL/BL*

platinum range



Certification and Information

HR3T4CS7C

CE

EN ISO 20345:2022
S7S FO SR HRO CI SC
EN 61340-5-1:2016
ESD

Oil
Heat
Chemical
Abrasion

★★★★★
★★★★★
★★★★★
★★★★★

Traction
Comfort
Non-marking

★★★★★
★★★★★
★★★★★ ✓

ESD

3M 400 GSM
Thinsulate

H₂O Barrier

Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3M™ Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel

Available colors and sizes:

Black *BL/BL
EU 38-48

Available on request:

Brown *BR/BR
EU 36-47



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Proof



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
116

Dapro Flame Knit C S1P C

PRODUCT CODE: FFLACS1PC-BL/OR*

Certification and Information

SRICS1PC	Oil	★★★★★	Traction	★★★★★	
	Heat	★★★★★	Comfort	★★★★★	
EN 20345:2022	Chemical	★★★★★	Non-marking	★★★★★	
S1P5 FO SR SC	Abrasion	★★★★★			
EN 61340-5-1:2016					
ESD					

Features

- > Non-magnetic
- > Knitted polyester upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel



Available colors and sizes:

Black Orange *BL/OR
EU 37-47



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
117



Dapro Black Phoenix C S3 C

PRODUCT CODE: FBLACS3C-BL/WH*

Certification and Information

SRICS3C

CE

EN ISO 20345:2022
S35 FO SR SC
EN 61340-5-1:2016
ESD

Oil
Heat
Chemical
Abrasion

★★★★★
★★★★★
★★★★★
★★★★★

Traction
Comfort
Non-marking

★★★★★
★★★★★
★★★★★ ✓

Features

- > Non-magnetic
- > Nubuck finish microfiber upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel



Available colors and sizes:

Black White *BL/WH
EU 37-47



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather




Protective
Toe Cap
118

Dapro Court High C S3

PRODUCT CODE: FCOUCS3-BL/OR*

Certification and Information

SR2CS3 CE EN ISO 20345:2022 S35 FO SR EN 61340-5-1:2016 ESD	Oil Heat Chemical Abrasion	★★★★★ ★★★★★ ★★★★★ ★★★★★	Traction Comfort Non-marking	★★★★★ ★★★★★ ★★★★★ ✓	
---	-------------------------------------	----------------------------------	------------------------------------	------------------------------	---

Features

- > Non-magnetic
- > Grain/microfiber upper
- > Lace-up system for secure fit
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel



Available colors and sizes:

Black Orange *BL/OR
EU 37-47



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
119



Dapro Elements 2 S3 C

PRODUCT CODE: FELE2S3C-BL/BL*

Certification and Information

MR2S3C					
CE	Oil	★★★★★	Traction	★★★★★	
	Heat	★★★★★	Comfort	★★★★★	
	Chemical	★★★★★	Non-marking	★★★★★	✓
EN ISO 20345: 2011	Abrasion	★★★★★			
53 SRC					

Features

- > Water resistant full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black *BL/BL

EU 35-48

Available on request: EU 49-50



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather




Protective
Toe Cap
120



Dapro Elements 2 Pro C S3 C

PRODUCT CODE: FELE2CS3C-BL/BL*

Certification and Information

HR2CS3C						
CE	ASPM Advanced Safety Protection Mechanism	Oil	★★★★★	Traction	★★★★★	
		Heat	★★★★★	Comfort	★★★★★	
		Chemical	★★★★★	Non-marking	★★★★★	
		Abrasion	★★★★★		✓	
EN ISO 20345:2022	F2413-18					
S35 FO SR HRO SC	M/I/C					
EN 61340-5-1:2016	SD10/PR					
ESD	F3445-21					
	SR					

Features

- > Metal free
- > Full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight



Available colors and sizes:

Black *BL/BL
EU 37-48

Available on request:

Brown *BR/BR
EU 35-48



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather





Protective
Toe Cap
121

Dapro Elements 3 C S3 C

PRODUCT CODE: FELE3CS3C-BL/BL*

Certification and Information

HR3CS3C					
		Oil	★★★★★	Traction	★★★★★
		Heat	★★★★★	Comfort	★★★★★
		Chemical	★★★★★	Non-marking	✓
		Abrasion	★★★★★		
EN ISO 20345:2022	F2413-18				
S35 FO SR HRO SC	M/I/C				
EN 61340-5-1:2016	SD35/PR				
ESD	F3445-21				
	SR				



Features

- > Metal free
- > Full grain leather upper
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel



Available colors and sizes:

Black *BL/BL
EU 37-47

Available on request:

Brown *BR/BR
EU 37-48





Dapro Driller C S3 C

PRODUCT CODE: FDRICS3C-BL/BL*

Certification and Information

HR4CS3C			Oil	★★★★★	Traction	★★★★★	
			Heat	★★★★★	Comfort	★★★★★	
			Chemical	★★★★★	Non-marking	✓	
			Abrasion	★★★★★			

Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel



Available colors and sizes:

Black	*BL/BL	Brown	*BR/BR
EU 39-47		EU 39-47	

Anti-Perforation Midsole	Anti-Static Sole	Anti-Slip Sole	Anti-Shock Heel	Water Resistant Leather	Hydrocarbon Resistant Sole	Breathable Leather	Protective Toe Cap
							123



Dapro Driller C S3 C

PRODUCT CODE: FDRICS3C-BR/BR*

Certification and Information

HR4CS3C			Oil	★★★★★	Traction	★★★★★	
			Heat	★★★★★	Comfort	★★★★★	
			Chemical	★★★★★	Non-marking	✓	
			Abrasion	★★★★★			
EN ISO 20345:2022	F2413-18						
S35 FO SR HRO SC	M/I/C						
EN 61340-5-1:2016	SD10/PR						
ESD	F3445-21						
	SR						

Features


- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel



Available colors and sizes:

Black *BL/BL
EU 39-47

Brown *BR/BR
EU 39-47



124



Dapro Rigger C S3 C

PRODUCT CODE: FRIGCS3C-BL/BL*

Certification and Information

HR4CS3C			Oil	★★★★★	Traction	★★★★★	
EN ISO 20345:2022			Heat	★★★★★	Comfort	★★★★★	
S35 FO SR HRO SC			Chemical	★★★★★	Non-marking	✓	
EN 61340-5-1:2016			Abrasion	★★★★★			
ESD							
F2413-18							
M/I/C							
SD10/PR							
F3445-21							
SR							

Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel

Available colors and sizes:

Black *BL/BL
EU 37-47

Available on request:

Brown *BR/BR
EU 36-47



Anti-Perforation Midsole



Anti-Static Sole



Anti-Slip Sole



Anti-Shock Heel



Water Resistant Leather



Hydrocarbon Resistant Sole



Breathable Leather



Protective Toe Cap
125



Dapro Baron S3 C

PRODUCT CODE: FBARS3C-BL/BL*

Certification and Information

VR1S3C					
CE	Oil	★★★★★	Traction	★★★★★	
	Heat	★★★★★	Comfort	★★★★★	
EN ISO 20345: 2011	Chemical	★★★★★	Non-marking	★★★★★	✓
53 SRC	Abrasion	★★★★★			

Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black *BL/BL
EU 35-48

Available on request:

Brown *BR/BR
EU 35-48



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
126



Dapro Noble S3 C

PRODUCT CODE: FNOBS3C-BL/BL*

Certification and Information

VR2S3C					
CE	Oil	★★★★★	Traction	★★★★★	
EN ISO 20345: 2011	Heat	★★★★★	Comfort	★★★★★	
53 SRC	Chemical	★★★★★	Non-marking	★★★★★	✓
	Abrasion	★★★★★			

Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black *BL/BL EU 35-48

Brown *BR/BR²
²In stock while supplies last



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
127



Dapro Noble S3 C

PRODUCT CODE: FNOBS3C-BR/BR*

Certification and Information

VR2S3C	Oil	★★★★★	Traction	★★★★★
	Heat	★★★★★	Comfort	★★★★★
	Chemical	★★★★★	Non-marking	✓
	Abrasion	★★★★★		
	EN ISO 20345: 2011 S3 SRC			

Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black *BL/BL Brown *BR/BR²
EU 35-48 ²In stock while supplies last



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
128



Dapro Noble Welding S3 C

PRODUCT CODE: FNOBWS3C-BL/BL*

Certification and Information

VR2WS3C					
CE	Oil	★★★★★	Traction	★★★★★	
EN ISO 20345: 2011	Heat	★★★★★	Comfort	★★★★★	
53 SRC	Chemical	★★★★★	Non-marking	★★★★★	✓
	Abrasion	★★★★★			

Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Protective leather flap against welding sparks with hook-and-loop closure
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black *BL/BL
EU 37-47

Available on request:

Brown *BR/BR
EU 37-47



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
129



Dapro Dauntless S3 C

PRODUCT CODE: FDAUS3C-BL/BL*

Certification and Information

VR3S3C	Oil	★★★★★	Traction	★★★★★
	Heat	★★★★★	Comfort	★★★★★
	Chemical	★★★★★	Non-marking	✓
	Abrasion	★★★★★		
	EN ISO 20345: 2011 S3 SRC			

Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black *BL/BL
EU 37-46

Available on request:

Brown *BR/BR
EU 37-46

Available on request: EU 35-36, 47-50



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
130



Dapro Dauntless S3 C SubZero® Fur

PRODUCT CODE: FDAUS3CS-BL/BL*

Certification and Information



Oil
Heat
Chemical
Abrasion



Traction
Comfort
Non-marking



SUBZER
INSULATION
Fur

Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > SubZero® Insulation
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black *BL/BL

EU 37-46

Available on request:

Brown *BR/BR

EU 37-46

Available on request: EU 35-36, 47-50



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
131



Dapro Intrepid S3 C

PRODUCT CODE: FINTS3C-BL/BL*

Certification and Information

VR4S3C					
CE	Oil	★★★★★	Traction	★★★★★	
EN ISO 20345: 2011	Heat	★★★★★	Comfort	★★★★★	
53 SRC	Chemical	★★★★★	Non-marking	★★★★★	✓
	Abrasion	★★★★★			

Features

- > Water resistant leather upper
- > Reinforced leather pull up loops for easier instep
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black *BL/BL
EU 38-47

Available on request:

Brown *BR/BR
EU 38-47

Available on request: EU 35-37, 48-50



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
132



Dapro Intrepid S3 C SubZero® Fur

PRODUCT CODE: FINTS3CS-BL/BL*

Certification and Information

VR3FS3C

CE

EN ISO 20345: 2011
S3 SRC

Oil
Heat
Chemical
Abrasion

★★★★★
★★★★★
★★★★★
★★★★★

Traction
Comfort
Non-marking

★★★★★
★★★★★
★★★★★ ✓

SUBZER ❄️
INSULATION

Fur

Features

- > Water resistant leather upper
- > Reinforced leather pull up loops for easier instep
- > PU bumpcap / scuff cap
- > SubZero® Insulation
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



SUBZER ❄️
-10°C

Available colors and sizes:

Black *BL/BL
EU 37-48

Available on request:

Brown *BR/BR
EU 37-48

Available on request: EU 35-36, 49-50



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
133

Dapro 3D Premium Comfort Insole

PRODUCT CODE: FHINS-NB*

Features

- > This Dapro ergonomic insole is comfortable and suitable for all Dapro safety shoes / work shoes.



Available colors and sizes:

Navy Blue *NB

EU 35-48

Dapro Various Laces



Dapro Round Brown Laces

PRODUCT CODE: 01-05-002

Features

- > Sold in pairs
- > Perfect for use in:
 - Dapro Baron S3 C
 - Dapro Noble S3 C
- > Length: 130cm
- > Type: Round

Available in colors:

Brown *BR/BR Black *BL/BL



Dapro Round Black Laces

PRODUCT CODE: 01-05-003

Features

- > Sold in pairs
- > Perfect for use in:
 - Dapro Baron S3 C
 - Dapro Noble S3 C
- > Length: 130cm
- > Type: Round



Dapro Flat Brown Laces

PRODUCT CODE: 01-05-018

Features

- > Sold in pairs
- > Perfect for use in:
 - Dapro Dauntless S3 C
 - Dapro Dauntless S3 C Subzero® Fur
- > Length: 130cm
- > Type: Flat



Dapro Flat Black Laces

PRODUCT CODE: 01-05-016

Features

- > Sold in pairs
- > Perfect for use in:
 - Dapro Dauntless S3 C
 - Dapro Dauntless S3 C Subzero® Fur
- > Length: 130cm
- > Type: Flat



FOOTWEAR

MADE-TO-ORDER

Dapro Petromaster C S7 C

PRODUCT CODE: FPMACS7C-BL/BL*

platinum range



Certification and Information

HR2C57C			Oil	★★★★★	Traction	★★★★★	
EN ISO 20345:2022			Heat	★★★★★	Comfort	★★★★★	
575 FO SR HRO SC			Chemical	★★★★★	Non-marking	✓	
EN 61340-5-1:2016			Abrasion	★★★★★			
ESD							
F2413-18							
M/I/C							
SD10/PR							
F3445-21							
SR							

H₂O Barrier

Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:

Black *BL/BL
EU 37-48

Brown *BR/BR
EU 37-48



Anti-Perforation Midsole	Anti-Static Sole	Anti-Slip Sole	Anti-Shock Heel	Water Proof	Hydrocarbon Resistant Sole	Breathable Leather	Protective Toe Cap

Dapro Petromaster C S7 C

PRODUCT CODE: FPMACS7C-BR/BR*

platinum range



Certification and Information

HR2C57C			Oil	★★★★★	Traction	★★★★★	
EN ISO 20345:2022		F2413-18	Heat	★★★★★	Comfort	★★★★★	
575 FO SR HRO SC		M/I/C	Chemical	★★★★★	Non-marking	✓	
EN 61340-5-1:2016		S010/PR	Abrasion	★★★★★			
ESD		F3445-21					
		SR					

H₂O Barrier

Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:

Black *BL/BL **Brown** *BR/BR
EU 37-48 EU 37-48



Anti-Perforation Midsole	Anti-Static Sole	Anti-Slip Sole	Anti-Shock Heel	Water Proof	Hydrocarbon Resistant Sole	Breathable Leather	Protective Toe Cap

138



Dapro Petromaster C S7 C Subzero® T400 Fur

platinum range

PRODUCT CODE: FPMACS7CT4S-BL/BL*

Certification and Information

HR2T4CS7C

CE

EN ISO 20345:2022
S7S FO SR HRO CI SC

F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil
Heat
Chemical
Abrasion

★★★★★
★★★★★
★★★★★
★★★★★

Traction
Comfort
Non-marking

★★★★★
★★★★★
★★★★★

ESD

3M 400 GSM Thinsulate

H₂O Barrier

Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3M™ Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces


Available on request:

Black *BL/BL **Brown** *BR/BR

EU 37-48 EU 37-48



3M
-40°C



139

Dapro Petromaster C S7 C Subzero® T400 Fur


PRODUCT CODE: FPMACS7CT4S-BR/BR*

platinum range




Certification and Information

HR2T4CS7C



EN ISO 20345:2022
S7S FO SR HRO CI SC
EN 61340-5-1:2016
ESD




F2413-18
M/I/C
SD10/PR
F3445-21
SR


Oil
Heat
Chemical
Abrasion


★★★★★
★★★★★
★★★★★
★★★★★

Traction
Comfort
Non-marking

★★★★★
★★★★★
★★★★★







Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3M™ Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:

Black *BL/BL
EU 37-48

Brown *BR/BR
EU 37-48





Anti-Perforation Midsole



Anti-Static Sole



Anti-Slip Sole



Anti-Shock Heel



Water Proof



Hydrocarbon Resistant Sole



Breathable Leather



Protective Toe Cap

140




Dapro Rigmaster C S7 C

PRODUCT CODE: FRMACS7C-BL/BL*

platinum range



Certification and Information

HR4CS7C			Oil	★★★★★	Traction	★★★★★	
EN ISO 20345:2022			Heat	★★★★★	Comfort	★★★★★	
575 FO SR HRQ SC			Chemical	★★★★★	Non-marking	✓	
EN 61340-5-1:2016			Abrasion	★★★★★			
ESD							

H₂O Barrier 

Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

Black *BL/BL **Brown** *BR/BR
EU 37-48 EU 37-48

							
Anti-Perforation Midsole	Anti-Static Sole	Anti-Slip Sole	Anti-Shock Heel	Water Proof	Hydrocarbon Resistant Sole	Breathable Leather	Protective Toe Cap

Dapro Rigmaster C S7 C

PRODUCT CODE: FRMACS7C-BR/BR*

platinum range



Certification and Information

HR4CS7C
CE
EN ISO 20345:2022
S75 FO SR HRO SC
EN 61340-5-1:2016
ESD
F2413-18
M/I/C
SD10/PR
F3445-21
SR

Oil
Heat
Chemical
Abrasion



Traction
Comfort
Non-marking



H₂O Barrier

Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

Black *BL/BL
EU 37-48

Brown *BR/BR
EU 37-48



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Proof



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
142



Dapro Rigmaster C S7 C Subzero® T400 Fur

platinum range

PRODUCT CODE: FRMACS7CT4S-BL/BL*

Certification and Information

HR4T4CS7C			Oil	★★★★★	Traction	★★★★★	
EN ISO 20345:2022		Heat	★★★★★	Comfort	★★★★★		
57S FO SR HRO CI SC	M/I/C	Chemical	★★★★★	Non-marking	✓		
EN 61340-5-1:2016	SD10/PR	Abrasion	★★★★★				
ESD	F3445-21 SR						

3M 400 GSM Thinsulate

H₂O Barrier

Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3M™ Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



3M
-40°C

Available on request:

Black *BL/BL **Brown** *BR/BR
EU 37-48 EU 37-48



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Proof



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
143

Dapro Rigmaster C S7 C Subzero® T400 Fur

PRODUCT CODE: FRMACS7CT4S-BR/BR*

platinum range



Certification and Information

HR4T4CS7C

CE

EN ISO 20345:2022
S7S FO SR HRO CI SC

EN 61340-5-1:2016
ESD

ASPM
Advanced Safety Protection Mechanism

F2413-18
M/I/C

SD10/PR
F3445-21
SR

Oil
Heat
Chemical
Abrasion

★★★★★
★★★★★
★★★★★
★★★★★

Traction
Comfort
Non-marking

★★★★★
★★★★★
★★★★★ ✓

ESD

3M 400 GSM Thinsulate

H₂O Barrier

Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3M™ Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



3M
-40°C

Available on request:

Black *BL/BL
EU 37-48

Brown *BR/BR
EU 37-48



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Proof



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
144

Dapro Female Offshore C S7 C

PRODUCT CODE: FOFFFC57C-BE/BE*

platinum range



Certification and Information

HR3CS7C

CE

EN ISO 20345:2022
S75 FO SR HRO SC
EN 61340-5-1:2016
ESD

Oil
Heat
Chemical
Abrasion

★★★★★
★★★★★
★★★★★
★★★★★

Traction
Comfort
Non-marking

★★★★★
★★★★★
✓

H₂O Barrier 

Features

- > Metal free
- > Full grain leather upper
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

Beige *BE/BE
EU 37-46



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Proof



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
145



Dapro Canyon C S3 C Laceless

PRODUCT CODE: FCANCS3CL-BL/BL*

Certification and Information

HR2C53C			Oil	★★★★★	Traction	★★★★★	
			Heat	★★★★★	Comfort	★★★★★	
			Chemical	★★★★★	Non-marking	✓	
			Abrasion	★★★★★			
EN ISO 20345:2022	F2413-18						
S35 FO SR HRO SC	M/I/C						
EN 61340-5-1:2016	SD10/PR						
ESD	F3445-21						
	SR						

Features

- > Metal free
- > Full grain leather upper
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

Black *BL/BL
EU 37-48

Brown *BR/BR
EU 37-48



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather






Protective
Toe Cap
146

Dapro Elements 1 C S3 C

PRODUCT CODE: FELE1CS3C-BL/BL*

Certification and Information

HR1CS3C					
		Oil	★★★★★	Traction	★★★★★
		Heat	★★★★★	Comfort	★★★★★
		Chemical	★★★★★	Non-marking	★★★★★ ✓
		Abrasion	★★★★★		
EN ISO 20345:2022	F2413-18				
S35 FO SR HRO SC	M/I/C				
EN 61340-5-1:2016	SD10/PR				
ESD	F3445-21				
	SR				



Features

- > Metal free
- > Full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Minimum order quantity of 400 pieces

Available on request:

Black *BL/BL EU 37-48

Brown *BR/BR EU 37-48




Anti-Perforation Midsole



Anti-Static Sole



Anti-Slip Sole



Anti-Shock Heel



Water Resistant Leather



Hydrocarbon Resistant Sole



Breathable Leather





Protective Toe Cap

Dapro Chelsea Boot C S3

PRODUCT CODE: FCHECS3-BL/BL*

Certification and Information

HR2CS3 CE		Oil Heat Chemical Abrasion	★★★★★ ★★★★★ ★★★★★ ★★★★★	Traction Comfort Non-marking	★★★★★ ★★★★★ ✓	
EN ISO 20345:2022 S35 FO SR HRO EN 61340-5-1:2016 ESD	F2413-18 M/I/C SD10/PR F3445-21 SR					

Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

Black *BL/BL
EU 37-48

Brown *BR/BR
EU 37-48

							
Anti-Perforation Midsole	Anti-Static Sole	Anti-Slip Sole	Anti-Shock Heel	Water Resistant Leather	Hydrocarbon Resistant Sole	Breathable Leather	Protective Toe Cap



Dapro Chelsea Boot C S3

PRODUCT CODE: FCHECS3-BR/BR*

Certification and Information

HR2CS3 CE EN ISO 20345:2022 S3S FO SR HRO EN 61340-5-1:2016 ESD	ASPM F2413-18 M/I/C SD10/PR F3445-21 SR	Oil Heat Chemical Abrasion	★★★★★ ★★★★★ ★★★★★ ★★★★★	Traction Comfort Non-marking	★★★★★ ★★★★★ ✓	
---	---	-------------------------------------	----------------------------------	------------------------------------	---------------------	--

Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

Black *BL/BL
EU 37-48

Brown *BR/BR
EU 37-48



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
149



Dapro Commissioner Slip On C S3

PRODUCT CODE: FCOSCS3-BL/BL*

Certification and Information

HR1CS3
CE
EN ISO 20345:2022
S35 FO SR
EN 61340-5-1:2016
ESD

Oil
Heat
Chemical
Abrasion

★★★★★
★★★★★
★★★★★
★★★★★

Traction
Comfort
Non-marking

★★★★★
★★★★★
★★★★★
★★★★★

ESD

Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

Black *BL/BL
EU 37-47

Brown *BR/BR
EU 37-47



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
150



Dapro Commissioner Slip On C S3

PRODUCT CODE: FCOSCS3-BR/BR*

Certification and Information

HR1CS3
CE
EN ISO 20345:2022
S35 FO SR
EN 61340-5-1:2016
ESD

Oil
Heat
Chemical
Abrasion

★★★★★
★★★★★
★★★★★
★★★★★

Traction
Comfort
Non-marking

★★★★★
★★★★★
★★★★★
★★★★★

ESD

Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

Black *BL/BL
EU 37-47

Brown *BR/BR
EU 37-47



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
151

Dapro Commissioner C S3

PRODUCT CODE: FCOMCS3-BL/BL*

Certification and Information

HR1CS3 CE EN ISO 20345:2022 S35 FO SR SC EN 61340-5-1:2016 ESD	Oil Heat Chemical Abrasion	★★★★★ ★★★★★ ★★★★★ ★★★★★	Traction Comfort Non-marking	★★★★★ ★★★★★ ★★★★★ ✓	
--	-------------------------------------	----------------------------------	------------------------------------	------------------------------	---

Features

- > Non-magnetic
- > Full grain leather upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300° Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

Black *BL/BL
EU 37-47

Brown *BR/BR
EU 37-47



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
152

Dapro Commissioner C S3

PRODUCT CODE: FCOMCS3-BR/BR*

Certification and Information

HR1CS3 CE EN ISO 20345:2022 S35 FO SR SC EN 61340-5-1:2016 ESD	Oil Heat Chemical Abrasion	★★★★★ ★★★★★ ★★★★★ ★★★★★	Traction Comfort Non-marking	★★★★★ ★★★★★ ★★★★★ ✓	
--	-------------------------------------	----------------------------------	------------------------------------	------------------------------	---

Features

- > Non-magnetic
- > Full grain leather upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300° Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

Black *BL/BL EU 37-47

Brown *BR/BR EU 37-47



Anti-Perforation
Midsole



Anti-Static
Sole



Anti-Slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap
153

SUBZERO[®]

INSULATION

SubZero insulation is an intermeshed cotton material which forms a mass of fiber to trap air in between the outerlayer of the shoe and your foot.

This **breathable high resilient** and **loft** material provides **durable warmth** retention with **light weight** properties for extra **freedom of movement** and **comfort**.

The perfect combination to use in protective workwear developed to work in hazardous environments.

Properties

SUBZERO[®]
INSULATION

SUBZERO[®]
INSULATION

SUBZERO[®]
INSULATION

SUBZERO[®]
INSULATION

Weight

100 GSM

150 GSM

250 GSM

300 GSM

Warmth



Composition:

100% intermeshed polyester

SubZero is clean, odorless and non allergenic, machine washable and dryable.



www.subzero-insulation.com



*Your safety is
our number one **priority**,
Your **life** depends on it.*

www.dapro-safety.com

[/Dapro-Safety](#)

[@Dapro_Safety](#)

[/DaproSafety](#)

[@Dapro_Safety](#)

