



Table of contents

<input type="checkbox"/>	About us	3-5
<input checked="" type="checkbox"/>	Cut Resistant	6-9
<input checked="" type="checkbox"/>	Electrical Insulation	9
<input checked="" type="checkbox"/>	Arc Flash	10-11
<input checked="" type="checkbox"/>	Vibration	12-15
<input checked="" type="checkbox"/>	Impact	16-17
<input checked="" type="checkbox"/>	Puncture and Needle stick	18-19
<input checked="" type="checkbox"/>	Winter	20-21
<input checked="" type="checkbox"/>	Assembly	22-23
<input checked="" type="checkbox"/>	Food	24
<input checked="" type="checkbox"/>	Non-Glove	25
<input checked="" type="checkbox"/>	Services	26
<input checked="" type="checkbox"/>	Digital Services	27

Y. Berger & Co. AB

Y. Berger & Co. AB is a family owned textile company based in Sweden. The company started in 1959 and is active in the fields of technical textiles, safety gloves and interior textile. Today our headquarters and warehouse is located just outside Gothenburg, Sweden. We have sales offices in Ohio, United States; Johannesburg, South Africa; Krakow, Poland, and our production, wet development, and main warehouse is in Wuxi, China.

Eureka Safety Gloves

We are focusing on performance gloves for demanding work situations, primarily in the industrial sector. Y. Berger & Co. AB has more than 60 years of experience in technical fibres, and the knowledge we have gained over this time forms the basis of our production of advanced textile solutions tailored to meet the most demanding situations.

Our excellent access to know-how and materials allows our laboratory and production facility to implement new technologies and processes efficiently and at a high degree of sophistication. Eureka products are made available from our Wuxi, China; Gothenburg, Sweden; Ohio, USA; and Johannesburg, South Africa stock. Our packing and boxes has been carefully designed for optimal product identification and to minimize logistic and retail handling costs.

Our sales team has a remarkably deep technical knowledge and are stationed around the world. In order to support our customers we also have extensive online digital services as well as a mobile app.

What we are not. We at Eureka take pride in our accomplishments in R&D and the “value creation” of our assortment, however, we are the first to admit that we don’t have it all. We are not the biggest, we do not have the widest assortment, nor do we have the lowest unit costs, but our narrower high performance range enables us to devote more time into fine-tuning and perfecting our models and assortment.

Eureka values

Safety through progress!

Through progress and innovation, Eureka is always developing new technologies to the benefit of the customers.

Clear purpose of each product – one product per user segment

We always try to understand the end-user requirement in terms of physical properties. We clearly map our products according to two axis, such as “cut resistance / user environment” for seamless gloves, or “moisture / temperature” for winter gloves.

A name to carry the purpose

To help overcome the challenge of getting the right products to the right working environments all our products are named in a way that indicates their properties.

Lean all the way!

Eureka focuses on using the best available raw materials and avoids common and detrimental shortcuts. We aim to stay within mass-market cost levels to suit demanding industrial users. A high cost efficiency is provided by a modular production, a lean organization with integrated producer-distributor, and fast moving logistics.

Y. Berger & Co. AB History

Mr. Yngve Berger pioneered our Far East trading in the late 1940s when he travelled to Japan by old propeller aircraft. The rise of the Far East trading caused friction in the trading company at the time and Yngve was offered a management buy-out in the Far East textile business. Since the inauguration of the company in 1959, Mr. Per Berger (2nd generation), took over and expanded the company into gloves and shoes. The company then opened an office in China in 1994. In the last decade Markus Berger (3rd generation), tightened the company scope to gloves, technical yarns/fibres and fabrics, while increasing attention to design and new technology.

目錄

<input type="checkbox"/>	關於我們	3-
<input checked="" type="checkbox"/>	5 防割	6-9
<input checked="" type="checkbox"/>	絕緣	9
<input checked="" type="checkbox"/>	12-1	10-1
<input checked="" type="checkbox"/>	16-1	16-1
<input checked="" type="checkbox"/>	與針刺	18-1
<input checked="" type="checkbox"/>	冬季	20-2
<input checked="" type="checkbox"/>	組裝	7
<input checked="" type="checkbox"/>	22-2	食品
<input checked="" type="checkbox"/>	24	無手套
<input checked="" type="checkbox"/>	25	服務
<input checked="" type="checkbox"/>		26
<input checked="" type="checkbox"/>		數位服務
<input checked="" type="checkbox"/>		27

Y. Berger & Co. AB

Y. Berger & Co. AB 是一家瑞典的家族紡織公司。公司於 1959 年成立，活躍於工業紡織、安全手套和室內紡織領域。如今，我們的總部倉庫位於瑞典哥德堡市郊。我們在美國俄亥俄州、南非約翰內斯堡、波蘭克拉科夫設有銷售辦公室，而生產、濕法開發和主要倉庫則位於中國無錫。

Eureka 安全手套

我們專注於高強度手套，主要應用於嚴苛的工作環境，尤以工業領域為主。Y. Berger & Co. AB 擁有超過 60 年的技術纖維經驗，而這些年來積累的知識，是我們生產先進紡織解決方案的基礎，這些方案能滿足最嚴苛的應用場景。

我們對專業知識和材料的優異獲取能力，使我們的實驗室和生產設施能夠高效且高精度地實施新技術和流程。Eureka 產品來自中國無錫、瑞典哥德堡、美國俄亥俄州和南非約翰內斯堡的倉庫。我們的包裝和外盒經過精心設計，以實現最佳產品識別，並最小化物流和零售處理成本。

我們的銷售團隊擁有極為深厚的技術知識，並分布在全球各地。為了支持客戶，我們還提供廣泛的線上數位服務以及手機應用程式。

我們不屬於哪裡。我們在 Eureka 非常自豪於在研發方面的成就以及我們產品系列的「價值創造」，然而，我們也首先承認我們並非完美。我們不是最大的，我們的產品線也不是最廣泛的，我們的單位成本也不是最低的，但我們更專注的高性能範圍使我們能夠投入更多時間來精細調整和完美我們的產品和產品線。

Eureka 值得

安全源自進步！

透過進步與創新，Eureka 一直為客戶發展新技術。

每個產品的明確目標——每個用戶群體對應一個產品

我們總是努力理解最終用戶在物理屬性方面的需求。我們根據兩個軸清晰地規劃產品，例如手套的「切割防護 / 使用環境」，或冬季手套的「濕度 / 溫度」。

一個能體現目標的名稱


為了克服將正確產品送到正確工作環境的挑戰，我們所有產品的命名方式都旨在表明其特性。

Lean all the way!

Eureka 專注於使用最佳現有原料，並避免常見且有害的捷徑。我們目標是保持在市場大眾的成本水平，以適應嚴格的工業用戶。模組化生產、精簡組織（整合生產商-經銷商）以及快速運作的物流，提供了高成本效率。

Y. Berger & Co. AB 歷史

先生 Yngve Berger 在 1940 年代後期，搭乘舊式螺旋槳飛機前往日本時，開創了我們的遠東貿易。遠東貿易的興起，當時在貿易公司內引起了摩擦，Yngve 被提供在遠東紡織事業的管理收購方案。自 1959 年公司成立以來，Per Berger 先生（2nd 世代），接手並將公司擴展至手套和鞋類。公司隨後於 1994 年在中国開設辦事處。在過去十年中，Markus Berger 先生（3rd 世代），縮小了公司的範圍至手套、工業用紗線/纖維和織物，同時加強對設計和新技術的關注。



Eureka History

"He threw down the gauntlet and it landed on the table between them..."

Well, it wasn't exactly a gauntlet but rather a crude early prototype glove made of a new, strong, cut resistant yarn. It was now obvious to everyone in the room that our company had access to several new advanced technologies that each provided a significant advantage to the end-user. There was no formal decision at this critical moment but it was the seed of what was to become Eureka!

It took us 3 years to develop the ideas into products, and when most of our textile products were about to be ready the coating got nowhere.

At that point we decided to open our own coating factory and warehouse. This allows us full control of quality of raw materials for both coating and the cut & sewn gloves. Since 2012 Eureka has expanded and is now available in over 30 countries around the world.



Gäddede, Sweden. Warehouse, dry laboratory, and headquarters



SUSTAINABILITY EFFORTS

Production facility

Elimination of toxic chemicals & solvents in production process and product
Production facility is moving from BSCI to ISO 45001
Extensive use of heat pumps
Solar cell array on facility roof



Eureka 歷史

"他扔下了挑戰書，它落在了他們之間的桌子..."

嗯，這倒不是什麼考驗，而是一個由新型號、強勁、抗割傷性高的纖維製成的粗略早期原型手套。現在在場的每個人都能明顯看出，我們公司擁有幾項新的先進技術，每項技術都為最終用戶提供了顯著的優勢。在這關鍵時刻沒有正式的決定，但它卻是未來「歐拉拉！」的種子。

花了我們3年時間將想法開發成產品，而當我們的大多數紡織產品即將準備完成時，塗層卻毫無進展。

在當時，我們決定開設自己的塗裝工廠和倉庫。這使我們能夠完全控制塗裝和裁剪縫合手套的原料品質。自2012年以來，Eureka已擴張，現在可在全球超過30個國家購買。



中國江蘇省。工廠、倉庫、乾實實驗室及總部



持續性努力

生產設施

在生產流程和產品中消除有毒化學品和溶劑
生產設施正從BSCI轉向ISO 45001
廣泛使用熱泵
設施屋頂上的太陽能電池陣列



Our responsibility

We have a responsibility to our stakeholders to continuously work for safer, more ethical, and environmentally conscious production. To guide us on this important path, we follow our Business Code of Conduct, based on the ILO conventions for human rights, the EU's chemical law REACH, and EcoVadis. In 2017, we initiated the BSCI certification process in our factory to verify our social compliance efforts. Today, our focus has shifted to an integrated management system that exceeds BSCI requirements, with our factory certified to ISO 9001 and plans to add ISO 14001 and ISO 45001.


At Eureka, we take a life cycle perspective on our products—considering environmental impact in production, transport, use, and end-of-life. We continuously work to reduce our footprint through material choices, process improvements, and responsible logistics. Y. Berger & Co. AB collaborates closely with leading experts in chemical safety and maintains a strict Restricted Substance List (RSL), ensuring that our products meet high standards for safety, transparency, and environmental responsibility. Sustainability is an integral part of how we develop, communicate, and deliver our products.

Eureka factory, Jiangsu province, China. Stock, production & wet lab facilities, sewing subcontractors (in photo factory entrance and process air cleaning equipment)



Product


Extensive use of undyed and spin dye techniques that result in a total elimination of pollution from dye process
Extensive use of recycled polyester
Knitted Eureka products contain 1% ocean bound recycled polyester
No use of poisons (biocides) for odour reduction / "anti-odour"
Lightweight (example 18 gauge) products = less resources consumed



Logistics

Complete switch (99%) from plastic to paper packaging
The remaining plastic pins biodegradable in common roadside conditions
Carton raw-material from sustainably managed forests (FSC certified)
Packing for volume minimization in transport & storage
Paper packing tape to be introduced 2023

Carbon footprint breakdown, from materials to distribution



Customer service & deliveries

Sales-force travelling with electric vehicles & free charging for office staff
Headquarters & warehouse heated and powered by solar and bio-energy
Digital focus: Digital self-service, training, meetings better know-how, better decisions with less physical effort
HQ green space rearranged to boost local biodiversity
Comprehensive sustainability reporting
Ongoing LCA analysis with focus on Primary energy use and CO₂ per product



我們的責任

我們有責任對我們的利害關係人持續努力，以實現更安全、更道德以及更環保的生產。為了引導我們走上這條重要的道路，我們遵循基於國際勞工組織人權公約、歐盟化學法 REACH 以及 EcoVadis 的商業行為準則。2017 年，我們在我們的工廠啟動了 BSCI 認證流程，以驗證我們的社會合規努力。今天，我們的注意力已轉移到一個整合的管理系統上，該系統超過了 BSCI 的要求，我們的工廠已獲得 ISO 9001 認證，並計劃添加 ISO 14001 和 ISO 45001。

在 Eureka，我們採取產品生命週期的觀點——考量生產、運輸、使用及終端處理的環境影響。我們持續努力透過材料選擇、流程改進和負責任的物流來減少我們的碳足跡。Y. Berger & Co. AB 與領先的化學安全專家密切合作，並維持嚴格的限制物質清單 (RSL)，確保


我們的產品符合安全、透明和環境責任的高標準。永續性是我們開發、溝通和交付產品過程中不可或缺的一部分。

Eureka 工廠，中國江蘇省。庫存、生產及濕實驗室設施，裁縫分包商 (照片中工廠入口及過程空氣淨化設備)。



產品


廣泛使用未染色和捲染技術，從而完全消除染料過程中的污染。
廣泛使用回收聚酯纖維。Eureka 釀造產品含有 1% 海洋回收聚酯纖維。不使用化學劑 (生物殺菌劑) 來減少臭味 / 「抗臭」輕量 (例如 18 針) 產品 = 消耗資源更少。



物流

完成從塑膠到紙包裝的全面轉換 (99%)
剩餘的塑膠釘在一般道路條件下可生物降解
紙箱原料來自可持續管理森林 (FSC 認證)
為了運輸與儲存時的體積最小化而打包
2023 年將引進紙質打包膠帶

Carbon footprint breakdown, from materials to distribution



客戶服務與配送

銷售團隊搭載電動車 & 辦公人員免費充電 Headquarters 與倉庫由太陽能與生物能源供暖及供電 電子化重點：數位自服務、培訓、會議 更輕的物理勞力，獲得更優的知識與決策 HQ 綠地重新佈局以提升當地生物多樣性 全面推動永續發展報告

持續進行 LCA 分析，重點在於主要能源使用及每產品 CO₂

Cut Resistant

Wide range of cut resistance protection levels based on 4 product families, **General, Heat, Cool** and the sewn "L" leather gloves.

EN 388:2016 Including the ISO 13997, New Cut Performance – A new dimension!

With the new updated EN 388, innovative thinking on cut performance validation has emerged. The new testing method is more relevant to daily applications as cut performance is tested by force and shown in Newton values (1N ≈ 0,1kg). The ANSI test is similar to ISO13997 but the results are presented in grams classified in level A1 to A9. See our cut level arrow below for more clarification.

Eureka gloves have been tested by this new way of thinking for many years and we are well prepared to meet the new expectations with many glove models in the higher levels E and F.

Eureka Coatings

SupraCoat


The ultimate foam coating. Waterborne PU and Nitrile foam, low density for best breathing, micro cup textured surface, finest quality through process & raw materials. Totally DMF free.

Nitrile


Great durability and grip in oily conditions with different levels of liquid proofing. Nitrile foam, medium density, micro cup textured surface, finest quality through process & raw materials.

Nitrile 2-4 (Naming Convention)

Nitrile 2: Double dipped
Nitrile 3: Double dipped up to knuckles
Nitrile 4: Double dipped up to wrist
e.g. 1310-3DSNI4



The Eureka 3 Dimensions graph represents the concept of the "perfect glove for the job". The volume of the graph encompasses the majority of work environments and through this, we have developed an assortment that covers a wide range of work tasks.



Cool Series

High performance Polyethylene fibres. This product family provides great comfort and prevents overheating in warm environments and a high cut resistance against a variety of risks. They are unsuitable against very high or low temperatures or flame, arc or contact with hot objects (above 140°C/284°F).

13-3 Cool Nitrile

DRY FEEL - COMFORT - CUT



- Provides cooling feel
- Soft & comfortable through spun yarns
- Touch screen capability

ART. NO: 13-3CNI
60 pairs (5 dozen)/carton
Size 7/XS-11/XXL

13-3 Cool SupraCoat

DRY FEEL - COMFORT - CUT

ART. NO: 13-3CSC



- Unique high comfort and cut resistance in our thinnest glove
- Touch screen capability
- Optimal for dry environments

ART. NO: 13-3CSC
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL

18-3 Cool SupraCoat

ULTRA THIN - DRY FEEL - CUT



- Unique high comfort and cut resistance in our thinnest glove
- Touch screen capability
- Optimal for dry environments

ART. NO: 18-3CSC
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL

18-3 Cool Nitrile

ULTRA THIN - OILY - CUT



- Unique high comfort and cut resistance in our thinnest glove
- Touch screen capability
- Optimal for oily environments

ART. NO: 18-3CNI
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL

18-4 Cool Nitrile

HIGH CUT - ULTRA THIN - STEEL/GLASSFIBRE FREE



- High cut resistant glove free from fibreglass and steel fibre
- High level of comfort

ART. NO: 18-4CNI
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL

18-5 Cool Nitrile

ULTRA THIN - SUPER HIGH CUT - HIGH TEAR RESISTANCE



- Very high cut and tear resistance
- Touch screen capability

ART. NO: 18-5CNI
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL

18-5 SuperCool Nitrile

ULTRA THIN - SUPER HIGH CUT



- Unique high comfort and cut resistance in our thinnest glove
- Touch screen capability
- Optimal for oily environments

ART. NO: 18-5SNI
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL

18-5 SuperCool Nitrile Black Edition

ULTRA THIN - SUPER HIGH CUT - ALL BLACK

ART. NO: 18-5SNI-BL



耐割

涵蓋廣泛的割傷防護等級，基於4個產品系列：通用型、耐熱型、耐冷型以及針織「L」皮手套。

EN 388:2016 包含ISO 13997，新的割傷性能 – 一個新的維度！


隨著EN 388的更新，在割傷性能驗證方面出現了創新思維。新的測試方法與日常應用更相關，因為割傷性能是通過力量測試並以牛頓值（1N ≈ 0,1kg）顯示的。ANSI測試與ISO13997相似，但結果以克為單位分為A1至A9等級。請參考我們下方的割傷等級箭頭以獲得更清晰的說明。

Eureka手套多年來都以這種新的思維進行測試，我們已經準備好以多種高級別E和F等級的手套來滿足新的期望。


Eureka Coatings

SupraCoat 超級氣泡塗料。水性PU及丁腈氣泡，低密度最佳通氣，微凹紋表面，精緻品質通過工藝與原料。純粹DMF無添加。

Nitrile 優異的耐油性和抓附力 Nitrile 2-4 (命名規範) Nitrile 2：雙面浸漬，不同液體防水等級。Nitrile 3：雙面浸漬至手指節 Nitrile 泡棉，中密度，微凹凸杯 Nitrile 4：雙面浸漬至手腕，表面紋理，最細膩品質，透過例如 1310-3DSNI4 工藝與原料製成。



Eureka 3 Dimensions 圖表代表「適合工作的完美手套」的概念。該圖表的體積涵蓋了絕大多數工作環境，透過這一點，我們開發了一系列能涵蓋廣泛工作任務的產品。



酷炫系列

高性能聚乙烯纖維。此產品系列提供極佳舒適感，可防止在溫暖環境中過熱，並對各種風險具備高剪裁抗性。它們不適用於極高或極低溫度，或火焰、電弧或接觸熱物體（溫度超過 140°C/284°F）。

13-3 活潑橡膠

DRY FEEL - 舒適 - 剪裁



- 提供涼爽感
- 透過熔纖紗材，柔軟舒適
- 觸控功能

ART. NO: 13-3CNI 60對(5打)/箱 Size 7/XS-11/XXL

13-3 Cool SupraCoat DRY FEEL - COMFORT - CUT 藝術品號: 13-3CSC x 3



- 我們最薄的手套，獨特的高舒適度和抗剪裁性
- 觸控螢幕功能
- 適用於乾燥環境

ART. NO: 13-3CSC60個/箱(5打)/箱 Size 7/XS-12/XXL

18-3 涼爽 SupraCoat

超薄 - 潤滑感 - 剪裁



- 我們最薄的手套，獨特的高舒適度和抗剪裁性
- 觸控螢幕功能
- 適用於乾燥環境

ART. NO: 18-3CSC60個/箱(5打)/箱 Size 7/XS-12/XXL

18-3 冷式丁腈

超薄 - 油性 - 切割



- 獨特的高舒適度與切割防護，是我們最薄的手套
- 觸控螢幕功能
- 最適合油性環境

ART. NO: 18-3CNI
60雙 (5打) / 箱，尺寸 7/XS-12/XXL

18-4 橡膠手套

高切 - 超薄 - 鋼/玻璃纖維免



- 高切割防護手套，不含纖維玻璃及鋼纖維
- 高舒適度

ART. NO: 18-4CNI 60雙 (5打) / 箱，尺寸 7/XS-12/XXL

18-5 Cool Nitrile

超薄 - 超高切割性 - 高抗撕裂性



- 極高切割性和抗撕裂性
- 觸控螢幕功能

ART. NO: 18-5CNI
60對(5打)/箱 Size 7/XS-12/XXL

18-5 SuperCool Nitrile

極薄 - 超高剪裁



- 我們最薄的手套，獨特的高舒適度和切割防護性
- 觸控螢幕功能
- 適合油性環境

ART. NO: 18-5SNI 60對(5打)/箱 Size 7/XS-12/XXL

18-5 超酷耐頑黑限定版

超薄 - 超高切割力 - 全黑

ART. NO: 18-5SNI-BL



General Series

Eureka's General Series provides a high cut resistance and a nice soft cotton feel. This product family is suitable for most but the most extreme environments (>250°C/482°F).


13-4 General Light SupraCoat

HIGH CUT - DRY FEEL - DURABLE



- Cut resistant level E/A5 in a thin glove
- Yarn composition provides maximum comfort, breathability and durability in dry environments
- Good thermal protection

ART. NO: 13-4GLSC
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL




13-4 General Nitrile

VERY HIGH CUT - OILY - DURABLE



- Superior cut resistance, level F/A6
- Yarn composition provides maximum comfort, breathability and durability in oily environments
- Good thermal protection

ART. NO: 13-4GNI
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL




13-4 General SupraCoat

VERY HIGH CUT - DRY FEEL - DURABLE



- Superior cut resistance, level F/A6
- Yarn composition provides maximum comfort, breathability and durability in wet environments
- Good thermal protection

ART. NO: 13-4GLA
60 pairs (5 dozen)/carton
Size 7/XS-11/XL



Natural Rubber ("latex")
This glove has a solid and waterproof latex with crinkle finish. Excellent dry and wet grip, good raw materials and process.

13-4 General Latex Foam

VERY HIGH CUT - WET - GRIP



ART. NO: 13-4GLAF
60 pairs (5 dozen)/carton
Size 7/XS-11/XL



Heat Series

Eureka's heat series is based on non melting materials such as selected para aramid fibre technology, anti-static yarns. This product family is suitable to protect against short contact with hot object above 250°C/482°F, sparks, flame and arc flash explosions.

13-3 Heat Nitrile

CUT - CONTACT HEAT - NON MELTING



- Suitable for contact heat resistance
- High level of durability in oily environments
- Contains 1% Anti Static fibre

ART. NO: 13-3HNI
60 pairs (5 dozen)/carton
Size 7/XS-11/XL

13-3 Heat NFR

FLAME RESISTANT - INSULATION - COMFORT



ART. NO: 13-3HNFR
60 pairs (5 dozen)/carton
Size 7/XS-11/XL

15-4 Heat Nitrile

THIN - CUT - NON MELTING



- Super thin glove with cut resistance
- Suitable for contact heat resistance and where sparks may occur
- Flame resistant textile
- Contains 1% Anti Static fibre

ART. NO: 15-4HNI
60 pairs (5 dozen)/carton
Size 7/XS-11/XL

L3 Heat

CUT - DURABLE LEATHER - COMFORT



- High comfort glove
- Suitable in moderately tough conditions
- Double cotton back
- Para aramid sewing thread

ART. NO: L3HEAT
24 pairs (2 dozen)/carton
Size 7/XS-11/XL

L3 Heat Oil Grip

CUT - DURABLE LEATHER - OIL GRIP



- High comfort glove
- Suitable in moderately tough conditions
- Double cotton back
- Para aramid sewing thread
- Reversed leather for improved oil grip and contact heat

ART. NO: L3HOG
24 pairs (2 dozen)/carton
Size 7/XS-11/XL

DE-036 Latex
DIELECTRIC - ELECTRICALLY INSULATING - ARC FLASH
Class 0 electrically insulating glove
Improved Arc Flash protection
Modified Box Test ARC2
36 cm length



DE-0028 Latex
DIELECTRIC - ELECTRICALLY INSULATING - ARC FLASH
Class 00 electrically insulating glove
Improved Arc Flash protection
28 cm length



一般系列

Eureka的「一般系列」提供高抗割性能，且擁有舒適的棉質手感。這個產品系列適用於大多數環境，但最極端的環境 (>250°C/482°F) 除外。


13-4 傳統輕質超光保護

高切割 - 柔軟乾爽 - 耐用



- 薄款手套，抗割傷等級達 E/A5
- 捲絨組成，提供極致舒適、透氣、耐用且在乾燥環境中更耐用
- 優良的熱量保護

ART. NO: 13-4GLSC
60對 (5打) /箱 7/XS-12/XXL




13-4 一般丁腈

極高切割度 - 油性 - 耐用



- 卓越的切割抗性，等級 F/A6
- 捲絨組成提供極致舒適感，在油性環境中具備優異的通氣性和耐用性
- 優良的熱保護

ART. NO: 13-4GNI 60對 (5打) /箱 品號
7/XS-12/XXL




13-4 傳統超光保護

極高切割力 - 柔軟觸感 - 耐用



- 卓越切割抗性，等級 F/A6
- 捲絨組成在濕潤環境中提供極致舒適、透氣性和耐用性

ART. NO: 13-4GLA 60雙 (5打) /箱 品號
7/XS-11/XL



天然橡膠 (「乳膠」)
這隻手套採用堅固且防水、帶有摺皺質感的乳膠材質。乾濕抓握力皆優異，原料與工藝品質良好。

13-4 常見橡膠泡棉

非常高切割 - 濕潤 - 摩擦力



ART. NO: 13-4GLAF
60對 (5打) /箱 品號



熱系列

Eureka的熱系列基於不熔融材料，例如選定的對位芳綸纖維技術、防靜電纖維。這個產品系列適用於保護對熱物體短暫接觸，溫度超過250°C/482°F、火花、火焰和電弧爆炸。

13-3 熱橡膠


CUT - 接觸加熱 - 不熔融



- 適用於接觸加熱耐熱
- 油性環境中具有高耐久性
- 含1%抗靜電纖維

ART. NO: 13-3HNI 60對(5打)/箱 Size
7/XS-11/XL

13-3 熱防護 NFR 防火阻燃 - 隔熱 - 舒適 x 3 ART. NO: 13-3HNFR




15-4 熱處理丁腈

薄切 - 非熔融



- 超薄耐割手套
- 適用於接觸熱及有火花發生之處
- 阻燃纖維
- 含1%抗靜電纖維

ART. NO: 15-4HNI 60對 (5打) /箱 品號
7/XS-11/XL




L3 熱

切割 - 耐用皮革 - 舒適



- 高舒適手套
- 適用於中等嚴重情況
- 雙層棉背
- 芳綸縫紉線

ART. NO: L3HEAT 24對(2打)/箱 品號
7/XS-11/XL




L3 熱油握把

堅固皮革 - 油膠



- 高舒適手套
- 適用於中等嚴重環境
- 雙層棉質後面
- 芳綸縫紉線
- 反轉皮革，提升油膠著力與接觸熱

ART. NO: L3HOG 24對 (2打) /箱 品號
7/XS-11/XL



DE-036 橡膠介電質 - 電氣絕緣 - 電弧飛彈 0 級電氣絕緣手套 改進電弧飛彈保護 改良箱型測試 ARC2 36 公分長度



DE-0028 橡膠 電介質 - 電氣絕緣 - 閃電保護 00級電氣絕緣手套 改進閃電保護 28公分長度



Arc Flash

Arc Flash

Eureka Arc Flash and Dielectric gloves

Eureka Arc Flash gloves belong to the family of Heat gloves but have a different coating and other adaptations to sustain the short but very intense flame and heat radiation that an Arc Flash produces. The Arc Flash gloves must be used while within the arc boundary of electrical equipment (typically a few meters) while Dielectric rubber gloves are used within the live working zone (30cm at 1kV). The arc gloves themselves do not insulate against electricity but have a decent electric resistance if dry (~10^8 Ohm).

AF/FR Chloroprene based composite foam coating with a grip friendly textured surface, highest flame and arc resistance. This coat also has a moderate breathing and oil resistance.

Thin

15-4 Heat AF-6 THIN - CUT - ARC FLASH



- Optimized for low-medium Arc Flash risks
- Super thin glove with cut resistance
- Contains 1% Anti Static fibre

ART. NO: 15-4HAF-6
60 pairs (5 dozen)/carton
Size 7/XS-11/XL

13-4 Heat FR FLAME RESISTANT - DEXTERITY - ARC FLASH



- Optimized for medium Arc Flash risks
- Perfect in tough working conditions with high spark, heat and flame risks
- High performance in cut resistance
- Contains 1% Anti Static fibre

ART. NO: 13-4HFR
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL

18-2 Heat ArcDot-8 ULTRA THIN - ARC FLASH



- Ultra thin insider glove
- Patent pending ArcDot technology
- Contains 2% Anti Static fibre

ART. NO: 18-2HAD-8
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL

18-2 Heat AF-10 ULTRA THIN - ARC FLASH



- Unique high comfort
- Patent pending
- Contains 2% Anti Static fibre

ART. NO: 18-2HAF-10
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL

15-4 Heat AF-11 THIN - CUT - HIGH ARC FLASH



- Optimized for medium Arc Flash risks
- Perfect in tough working conditions with high spark, heat and flame risks
- High performance in cut resistance
- Contains 1% Anti Static fibre
- Patent pending

ART. NO: 15-4HAF-11
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL

Approximation of the effect of thermal radiation on the skin at different incident energies (1 second exposure)

1 cal/cm ²	1,2 cal/cm ²	4 cal/cm ²	8 cal/cm ²
Equivalent to a wax candle flame	Lowest energy level that can create a 2 nd degree burn on bare skin	Energy level that can create a 2 nd degree burn on bare skin	Energy level that can create a 3 rd degree burn on bare skin

Medium

13-4 Heat AF-17 FLAME RESISTANT - HIGH CUT - HIGH ARC FLASH



- Optimized for medium Arc Flash risks
- Perfect in tough working conditions with high spark, heat and flame risks
- High performance in cut resistance
- Contains 1% Anti Static fibre
- Patent pending

ART. NO: 13-4HAF-17
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL

13-4 Heat AF-29 FLAME RESISTANT - HIGH CUT - VERY HIGH ARC FLASH



- Optimized for high Arc Flash risks
- Perfect in tough working conditions with high spark, heat and flame risks
- High performance in cut resistance
- Contains 1% Anti Static fibre
- Patent pending

ART. NO: 13-4HAF-29
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL

Special

13-4 Heat AF-XX Winter FLAME RESISTANT - ARC FLASH - WINTER



ART. NO: 13-4HAF-XXW

1510-4 Heat AF 12-WP ARC FLASH - WINTER - WATERPROOF



ART. NO: 1510-4HAF-12-WP

13-4 Heat AF-50 HIGHEST ARC FLASH - UNIQUE DESIGN - FLAME RESISTANT



- Extreme Arc Flash protection (>40 Cal)
- Suitable for toughest working conditions with high risk of spark, heat and flame risks
- High performance in cut resistance
- Contains 1% Anti Static fibre

ART. NO: 13-4HAF-50
12 pairs (1 dozen)/carton
Size 8/S-12/XXL

13-4 Heat Armsleeve 8 SLEEVE - CUT - ARC FLASH



- Black Para Aramid hand section
- Length 50cm
- Contains no steel or fibreglass

ART. NO: 13-4HAS-8
3 pairs/bundle/ 60 pieces/carton
Size 9/M, 11/XL

Arc Flash

Arc Flash

Arc 閃電

Eureka 電弧過電壓與絕緣 8喜歡

Eureka Arc Flash 手套屬於熱手套系列，但具有不同的塗層和其他改進設計，以承受 Arc Flash 所產生的短時間但極度強烈的火焰和熱輻射。Arc Flash 手套必須在電氣設備的弧光範圍內使用（通常幾公尺），而絕緣橡膠手套則在帶電作業區域使用（1kV 時約 30cm）。Arc 手套本身並不隔絕電力，但在乾燥情況下具有不錯的電阻（~10^8 歐姆）。

AF/FR 基於氯丁橡膠的複合泡棉塗料，具備防滑的紋理表面，最高阻燃及電弧保護抗磨損。這件外套也具有適中的通氣性和防油性。

Thin

15-4 熱 AF-6 THIN - 切割 - 電弧飛濺



- 低中級的電弧飛濺風險優化設計
- 超薄防割手套
- 含 1% 靜電纖維

ART. NO: 15-4HAF-6 60對(5打)/箱 廣度 7/XS-11/XL

13-4 H吃 FR 抗燃性 - 靈活性 - 防弧光



- 優化設計，適用於中等程度弧光風險
- 在嚴酷的工作環境中表現完美
- 適用於高火花、高熱及高火焰風險
- 切割抗性表現卓越
- 含 1% 抗靜電纖維

ART. NO: 13-4HFR
60對 (5打) / 紙箱
Size 7/XS-12/XXL

18-2 Heat ArcDot-8 ULTRA THIN - ARC FLASH



- Ultra thin 內部手套
- 專利申請中 ArcDot 技術
- 含 2% 抗靜電纖維

ART. NO: 18 8 60 25 -HAD- 個對(打)/箱
Size 7/XS-12/XXL

18-2 熱 AF-10 超薄 - 電弧飛濺



- 獨特高舒適
- 專利申請中
- 含 2% 抗靜電纖維

ART. NO: 18 10 60 25 -HAF- 個(打)/箱
Size 7/XS-12/XXL

15-4熱處理AF-11 薄切 - 高電弧飛濺



- 優化適用於中等電弧飛濺風險
- 在嚴苛工作條件下完美表現
- 具高火花、高熱及高火焰風險
- 切割抗性高續表現
- 含 1% 抗靜電纖維
- 專利申請中

ART. NO: 15-4HAF-11
60對 (5打) / 箱 7/XS-12/XXL

不同入射能量下熱輻射對皮膚的影響近似值 (1秒曝光)

1 cal/cm ²	1,2 卡爾/公分 ²	4 卡爾/公分 ²	8 卡爾/公分 ²
相當於蠟燭火焰	最低可產生的能量層級 裸皮上的 2 nd 度燙傷	足以造成 2 nd 的能量水平 裸皮上的 [v1] 度燙傷	足以造成 3 rd 的能量水平 裸皮上的 [v1] 度燙傷

Medium

13-4 熱處理 AF-17 抗燃性 - 高切割 - 高電弧飛濺



- 優化適用於中等電弧飛濺風險
- 適用於嚴苛的工作條件
- 具高火花、高熱及高火焰風險
- 切割抗性表現卓越
- 含 1% 抗靜電纖維
- 專利申請中

ART. NO: 13 17 60 45 -HAF- 個對(打)/箱
Size 7/XS-12/XXL

13-4 熱 AF-29 阻燃 - 高切 - 非常高電弧飛濺



- 優化高電弧飛濺風險
- 在嚴苛工作條件下完美表現，具備高火花、高熱及高火焰風險
- 切割抗性高達頂級表現
- 含 1% 抗靜電纖維
- 專利申請中

ART. NO: 13-4HAF-29
60對 (5打)/箱 Size 7/XS-12/XXL

特別

13-4 熱氣防凍 AF-XX 冬季 防火 - 雷射飛濺 - 冬季



ART. NO: 13-4HAF-XXW

1510-4 Heat AF 12-WP 電弧飛濺 - 冬季 - 防水



ART. NO: 1510-4HAF-12-WP


13-4 熱 AF-50 最高電弧閃電 - 獨特設計 - 防火



- 極致電弧飛濺保護 (>40 Cal)
- 適用於最嚴酷的工作條件
- 具高火花、高熱及高火焰風險
- 切割抗性表現卓越
- 含 1% 靜電纖維

ART. NO: 13-4HAF-50
12對 (1打)/箱
Size 8/S-12/XXL

13-4 熱 AF-55 最高電弧飛濺 - 獨特設計 - 防火



- 黑色 Para Aramid 手部區段
- 長度 50公分
- 不含鋼材或纖維玻璃


ART. NO: 13 8 3 460 -HAS- 對/束/箱，尺寸 9/M, 11/XL

Arc Flash

Vibration

Gloves can be a very valuable tool in reducing Hand Arm Vibration Syndrome. All vibration reduction gloves have applications of high protection as well as "No Go" zones where they have little effect or might even be slightly harmful.

HAND ARM VIBRATION SYNDROME AND VIBRATION INDUCED WHITE FINGER SYNDROME



- Blue curve illustrates sensitivity to Hand Arm Vibration syndrome (ISO 5349-1)
- Orange curve illustrates sensitivity to Vibration induced White Finger Syndrome (ISO TR 18570)

PRACTICAL ADVICE

Real life situations may vary a lot compared to lab conditions. Different people and working positions as well as the tool type, maintenance status of the tool and type of work show large variations in test results. Other very important factors are that cold hands increase damage to hand, high grip force significantly increases damage and reduces glove protection. Please seek Eureka consultation for more help!

LEGAL LIMITS IN EU



Action must be taken if daily average weighted accelerations exceed $2,5 \text{ m/s}^2$. Exceeding $5,0 \text{ m/s}^2$ is prohibited according to EU Directive 2002/44/EC. Eureka's goal is to map the main frequencies of the vibration exposure in order to fulfill article 4,4a in the above directive and to match a glove to those frequencies.

VIBRATIONS

Vibrations are mainly generated by the machine motor (rpm). Secondary disturbances, usually at higher frequencies, are generated through work task/material, and very high frequency transient vibrations from impacting tools.

TRANSMISSION CURVES

The transmission graphs indicate the glove protection frequencies for fingers (blue curve) and palm (black curve). Each glove has a unique protection characteristic indicated by these curves. 1,0 on the X axis represents no added protection from the glove. >1,0 indicates **amplified risk of damage** while wearing the glove (red region). <1,0 indicates **protection** while wearing the glove (green region).



- Frequency= Oscillations per second
- RPM=Rotations Per Minute
- 100 Hz = 6000 rpm, 500 Hz=30 000 rpm

Transient Vibration= High frequency, short duration
Acceleration is the speed change per second and best measurement of vibration strength.




15-4 Flexi Vibration

VIBRATION REDUCTION - DEXTERITY



- High comfort vibration reducing glove for low to mid frequency tools >~40 Hz (2 400 RPM)
- Best in class comfort and dexterity

ART. NO: 15-4FLEXIVIB
24 pairs (2 dozen)/carton
Size 7/XS-12/XXL




Impact Vibration Flexi

VIBRATION REDUCTION - SLOW ROTATING TOOLS - DEXTERITY



- High comfort vibration reducing glove for low to mid frequency tools >~32 Hz (1 920 RPM)
- Optimized design to minimize finger resonance
- Educational print in palm with high grip

ART. NO: IMPVIBFLEXI
24 pairs (2 dozen)/carton
Size 7/XS-12/XXL




Impact Vibration Leather

VIBRATION REDUCTION - SLOW ROTATING TOOLS



- High comfort vibration reducing glove for low to mid frequency tools >~32 Hz (1 920 RPM)
- Educational print in palm with high grip
- Perfect for working environments where sparks may occur


ART. NO: IMPVIBLEATHER
12 pairs (1 dozen)/carton
Size 8/S-12/XXL



振動 振動

手套可作為一種非常寶貴的工具，用於減少手臂震動症候群。所有減震手套都具有高保護應用，以及「無法通過」區域，在這些區域它們效果甚微，甚至可能稍微有害。

手臂振動症候群與振動引發的白指症候群



- 藍色曲線說明對手臂振動症候群的敏感度 (ISO 5349-1)
- 橙色曲線說明對振動引發白指症候群的敏感度 (ISO TR 18570)

實用建議

實際情況與實驗室條件可能差異很大。不同的人、工作姿勢以及工具類型、工具的維護狀態和工作的類型，在測試結果上會顯示出顯著的差異。其他非常重要的因素是，冰冷的手會增加對手部的損傷，高握力會顯著增加損傷並降低手套的保護能力。請尋求Eureka諮詢以獲得更多幫助！

歐盟法規限制



若每日平均加權加速度超過 $2,5 \text{ m/s}^2$ ，必須採取行動。根據歐盟指令 2002/44/EC，超過 $5,0 \text{ m/s}^2$ 則屬禁止。Eureka 的目標是繪製振動暴露的主要頻率，以符合上述指令第 4,4a 條款，並將手套與這些頻率對應起來。

振動

振動主要由機器馬達（轉速 rpm）產生。次要干擾通常在高頻率時產生，通過工作任務/材料產生，以及衝擊工具產生的非常高的頻率瞬變振動。

傳遞曲線

傳遞圖表顯示了手指（藍色曲線）和手掌（黑色曲線）的手套保護頻率。每款手套都有獨特的保護特性，由這些曲線指示。X軸上的 1,0 代表手套沒有提供額外的保護。>1,0 表示 **未確定的損壞風險** 在穿戴時 g the glove（紅色區域）。<1,0 表示穿戴手套時的保護（綠色區域）。



- 頻率= 每秒振動次數 • RPM=每分鐘旋轉次數
- 100 Hz = 6000 rpm, 500 Hz=30 000 rpm

暫態震動= 高頻率、短持續時間的加速度是每秒速度變化，也是衡量震動強度的最佳指標。




15-4 Flexi 振動

減震降噪 - 精準靈活



- 高舒適減震手套，適用於低至中頻率工具 • Hz (2,400 RPM)
- 最佳舒適度與精準靈活度
- 領先業界的舒適度與精準靈活度

ART. NO: 15-4FLEXIVIB 24對 (2打)/箱
Size 7/XS-12/XXL




衝擊震動靈活 震動減震 - 慢速旋轉工具 - 敏捷



- 高舒適減震手套，適用於低至中頻率工具 >~32 Hz (1 920 RPM)
- 最佳設計以最小化手指共振
- 掌心高抓握力教育印刷

ART. NO: IMPVIBFLEXI 24對 (2打)/箱 品號
7/XS-12/XXL



振動靈活冬款 振動減輕 - 敏捷 - 暖




衝擊振動 皮革 振動減少 - 慢速旋轉工具



- 高舒適減震手套，適用低至中頻率工具 >~32 Hz (1,920 RPM)
- 手掌部位採高抓握力教育印刷
- 適合可能發生火花的工作環境

ART. NO: IMPVIBLEATHER 12對 (1打) /箱
Size 8/S-12/XXL



Vibration

TOOL TYPE	FLEXI >=32 Hz (1 920 RPM)	AMPLITUDE >=160 Hz (9 600 RPM)	VIBRATION >=250 Hz (15 000 RPM)	TRANSIENT >=400 Hz (24 000 RPM)
Rivet guns, Impact wrenches, Impact hammers	●	●	●	●
High speed multi tools	●	●	●	●
Angle grinders	●	●	●	●
Sanders & Grinders	●	●	●	●
Nutrunner	●	●	●	●
Mower, Hedge trimmer, Leaf blower	●	●	●	●
Circular & Jig saws	●	●	●	●


Disclaimer: Results are approximate and high risk work situations should be measured on site

15-4 Amplitude Vibration

VIBRATION REDUCTION - ORIGINAL DESIGN



- State of the art vibration reducing glove for hand, arm and fingers >=220 Hz (13 200 RPM)
 - Patent 3515222 (SE, BE, FR, DE, GB)
- ART. NO: 15-4AMPVIB
24 pairs (2 dozen)/carton
Size 8/S-11/XL




Impact Vibration Amplitude

HIGHEST VIBRATION REDUCTION - ORIGINAL DESIGN



- State of the art vibration reducing glove for hand, arm and fingers >=160 Hz (9 600 RPM)
 - Patent 3515222 (SE, BE, FR, DE, GB)
- ART. NO: IMPVIBAMP
12 pairs (1 dozen)/carton
Size 8/S-11/XL



Impact Vibration


VIBRATION REDUCTION - FAST ROTATING & IMPACTING TOOLS



- High comfort vibration reducing glove for high frequency and impacting tools >=250 Hz (15 000 RPM)
 - Educational print in palm with high grip
- ART. NO: IMPVIB
24 pairs (2 dozen)/carton
Size 7/XS-12/XXL

Impact Vibration Winter

VIBRATION REDUCTION - FAST ROTATING & IMPACTING TOOLS - WARM




15-1 Transient Vibration

VIBRATION REDUCTION - IMPACTING TOOLS - DEXTERITY



- Thin glove for high frequency and impacting tools >=400 Hz (24 000 RPM)
 - Best in class comfort and dexterity
 - Long lasting and excels in oily environments
- ART. NO: 15-1TVIB
24 pairs (2 dozen)/carton
Size 7/XS-12/XXL



Vibration

TOOL TYPE	FLEXI >=32 Hz (1 920 RPM)	振幅 >=160 Hz (9 600 RPM)	振動 >=250 Hz (15 000 RPM)	瞬間 >=400 Hz (24 000 RPM)
衝釘槍、衝擊扳手、衝擊錘	●	●	●	●
高速多工工具	●	●	●	●
角磨機	●	●	●	●
桑德斯與研磨機	●	●	●	●
螺絲刀	●	●	●	●
割草機、修剪樹枝機、吹葉機	●	●	●	●
圓鋸與搖臂鋸	●	●	●	●


免責聲明：結果僅供參考，高風險工作情況應現場測量

15-4 振動幅度

減震 - 原創設計



- 尖端技術的減震手套，適用於手、手臂和手指 >=220 Hz (13,200 RPM)
 - 專利 3515222 (SE, BE, FR, DE, GB)
- ART. NO: 15-4AMPVIB
24對 (2打)/箱 Size 8/S-11/XL




衝擊振動幅度

最高減振效果 - 原始設計



- 高級減振手套，適用於手、手臂與手指 >=160 Hz (9,600 RPM)
 - 專利 3515222 (瑞典、比利時、法國、德國、英國)
- ART. NO: IMPVIBAMP 12對 (1打)/箱
尺寸 8/S-11/XL




衝擊震動

減震 - 快速旋轉及衝擊工具



- 高頻率用高舒適減震手套及衝擊工具 >=250 Hz (15 000 RPM)
 - 掌心高抓握力教育印刷
- ART. NO: IMPVIB 24對 (2打)/箱 7/XS-12/XXL

衝擊震動 冬季減震 - 高速旋轉及衝擊工具 - 暖




15-1 瞬時振動

振動減輕 - 撞擊工具 - 敏捷性



- 高頻率及衝擊工具用薄型手套 >=400 Hz (24 000 RPM)
 - 同類最佳舒適與敏捷性
 - 持久耐用，適用於油性環境
- ART. NO: 15-1TVIB 24對 (2打) /箱
Size 7/XS-12/XXL



Vibration

Impact

Eureka's unique intelligent *SupraBlock Impact* foam is an advanced viscoelastic material. Our gloves provide a massive reduction to both the remaining impact force, as well as an even larger decrease in the bone shattering impact acceleration.

Compared to TPR technology Eureka gloves are lighter, thinner and provide a superior protection. *SupraBlock Impact* can be washed or tumbled without deformation.

EN388:2016 allows for a "P" rating to be added to products that comply with the knuckle impact test lower limit of EN1621-1 (remaining force smaller than 7kN).

The ISEA 138 test is in accordance to the same principle as above but tests both fingers and knuckles. The result is given in three different levels where the lowest result is the best. (≤ 9kN Level 1), (≤ 6,5kN Level 2), (≤ 4kN Level 3).

Impact Xtreme

SUPERIOR IMPACT PROTECTION

The Impact Xtreme range of Eureka gloves have been developed to offer a lighter, highly flexible glove with outstanding impact protection made possible by Eureka's unique intelligent *SupraBlock Impact* foam.

General product information valid for all styles:

- Back protectors with *SupraBlock Impact*
- Residual Force after 5 Joule impact only 3-4 kN* (lower is better)
- Long neoprene cuff with ID-tag and pull-up strip.
- Residual Force ~3 kN on knuckles, ~4 kN on fingers (lower is better)

*Residual force to hand after Impact material hit by 5 kg "tennis ball" impact probe with an impact energy of 5 joule where less is better. (EN1621)

Impact Xtreme Dry

VERY HIGH IMPACT - DRY FEEL - DURABLE



- Highest impact protection on fingers and knuckles
- Perfect for tough and dry environments

ART. NO: IMPXDRY
24 pairs (2 dozen)/carton
Size 7/XS-13/XXXL




Impact Xtreme Winter

VERY HIGH IMPACT - INSULATION - WATERPROOF



- High performance comfort and impact protection on fingers and knuckles
- Waterproof and breathable for cold and wet environments
- Impact material is EN388:2016 Impact protection P

ART. NO: IMPXWIN
24 pairs (2 dozen)/carton
Size 8/S-13/XXXL



Impact Palm


IMPACT ASSEMBLY HALF FINGER

PALM IMPACT PROTECTION - SILICONE FREE



- Impact palm & Carpal tunnel protection
- Pull tab for easy glove removal
- Silicone free
- Can be used as overglove

ART. NO: IMPAHF
24 pairs (2 dozen)/carton
Size 7/XS-11/XL



Impact Light

HIGH DEXTERITY AND IMPACT PROTECTION

Eureka's Impact Light range combines dexterity, cut, and impact protection in a clever and price competitive way which enables introduction to a wider part of the industry.

General product information valid for all styles:

- Seamless high dexterity fit made in our own factory
- Inserted/sewn on back protectors with *SupraBlock Impact* foam on backhand and fingers
- Residual Force ~5.5kN on knuckles, ~6.5kN on fingers (lower is better)
- All styles have reflective and hi-viz print for improved visibility

*Residual force to hand after Impact material hit by 5 kg "tennis ball" impact probe with an impact energy of 5 joule where less is better. (EN1621-1)


15-4 Impact Insider

INNER GLOVE - MULTI FUNCTION - DURABLE



- Multi function inner glove providing high impact, cut and heat protection
- High dexterity and high durability

ART. NO: 15-4IMPINS
24 pairs (2 dozen)/carton
Size 7/XS-11/XL




15-4 Impact Light

UNIQUE - MULTI FUNCTION - REFLECTIVE PRINT



- High performance back of hand impact protection
- Yarn composition provides a thin, comfortable glove with high dexterity
- High cut resistance with moderate heat protection

ART. NO: 15-4IMPL
24 pairs (2 dozen)/carton
Size 7/XS-11/XL



衝擊力Impact

Eureka獨特的智慧SupraBlock衝擊泡棉是一種先進的黏彈性材料。我們的手套能顯著降低剩餘衝擊力，並大幅減少骨骼碎裂的衝擊加速度。

與TPR技術相較，Eureka手套更輕、更薄，且提供更優越的保護。SupraBlock衝擊力可清洗或烘乾而不變形。

EN388:2016允許將「P」等級加至符合EN1621-1指关节冲击测试下限標準的產品（殘餘力小於7kN）。

ISEA 138測試與上述原則相同，但測試手指與指关节。結果分為三個不同等級，最低等級為最佳。（≤ 9 kN等級1），（≤ 6,5kN等級2），（≤ 4kN等級3）。

衝擊極致

優異衝擊保護

Eureka手套的衝擊極致系列已開發出更輕、高度靈活的手套，憑藉Eureka獨特的智能SupraBlock衝擊海綿，實現卓越的衝擊保護。

一般 p 產品資訊適用於所有款式 yles:

- 具備SupraBlock衝擊防護的背墊
- 5焦耳衝擊後殘餘力僅3-4 kN* (越低越好)
- 長款氯丁橡膠袖套，附ID標籤和拉緊帶
- 指关节殘餘力~3 kN，指尖殘餘力~4 kN (越低越好)

*手部殘餘力在1m p作用材料被5 kg「網球」衝擊探頭衝擊，衝擊能量為5焦耳，愈低愈好。(EN1621)


衝擊極致乾燥

極高衝擊 - 乾燥感 - 耐用



- 指與手指關節最高衝擊保護 • 適合嚴苛及乾燥環境

ART. NO: IMPXDRY 24對 (2打) /箱 個號
7/XS-13/XXXL




Impact Xtreme Winter

極高衝擊力 - 隔熱 - 防水



- 指部提供高階舒適與衝擊保護及指关节
- 防水且透氣，適用寒冷濕潤環境
- 衝擊材料符合 EN388:2016 衝擊保護標準 P 級

ART. NO: IMPXWIN 24對 (2打) /箱 品號
8/S-13/XXXL



衝擊掌


衝擊裝置半指式

掌部衝擊保護 - 無矽膠



- 衝擊掌部與腕管保護
- 輕鬆脫手套的拉環
- 不含矽膠
- 可作外套手套使用

ART. NO: IMPAHF 24對 (2打) /箱 Size
7/XS-11/XL



衝擊輕

高靈敏度與衝擊保護

Eureka的衝擊燈系列巧妙地結合了靈巧性、切割性和衝擊保護，以競爭力的價格實現，使產品能進入更廣泛的行業部分。

一般 p 產品資訊適用於所有款式 yles:

- 無縫高靈敏度合身，由我廠自行生產
- 背部裝有內嵌/縫製的保護墊，手背及指尖使用SupraBlock衝擊泡棉
- 指关节殘餘力為~5.5kN，指尖殘餘力為~6.5kN (越低越好)
- 所有款式均具備反光及高視覺印刷，提升可見度

*手部殘餘力在1m p作用材料被5公斤「網球」衝擊探頭衝擊，衝擊能量為5焦耳，少即是多。(EN1621-1)


15-4 Impact Insider

內層手套 - 多功能 - 耐用



- 多功能內層手套，提供高衝擊、割傷及耐熱保護
- 高靈敏度與高耐用性

ART. NO: 15-4IMPINS 24對 (2打) /箱
Size 7/XS-11/XL




15-4衝擊護腕 獨特款 - 多功能 - 反光印刷



- 高品質手背衝擊防護
- 捲紗組成，提供薄而舒適、高靈敏度的手套
- 高切割抗性，兼具適度耐熱保護

ART. NO: 15-4IMPL 24對 (2打) /箱 品號
7/XS-11/XL



Puncture and Needlestick

Eureka's puncture and needle resistant range provides wide variety of protection areas at high levels of dexterity.

SupraBlock Stop


A coated ultra dense aramid fabric with very high cut level (EN 388: lvl 5/F), waterproof and highest needlestick resistance (ASTM2878/25gg needle >8-9N).

SupraBlock Soft

A dense but soft aramid fabric with good cut resistance, high needlestick resistance (ASTM2878/25gg needle >5-6N) and great breathability.

SupraBlock Hydro

Selected HPPE fabrics that stop jets of water and oil at a certain level.



Puncture Hydraulic

13-4 Puncture Hydraulic

OIL PROOF - CUT - JET RESISTANT




- Tested against hydraulic jets from a pinhole of 0,3mm, standard clean hydraulic oil at room temp, 250 bar pressure, 1 second exposure time, pinhole direct contact to glove and a contact force of ~3N.
- The penetrating power of a hydraulic jet will vary considerably depending on hydraulic oil properties, distance from pinhole, diameter of hole, working pressure and exposure time.

ART. NO: 13-4PHYDRO
12 pairs (1 dozen)/carton
Size 7/XS-12/XXL

18-4 Puncture Hydraulic

OIL PROOF - CUT - JET RESISTANT

ART. NO: 18-6PHYDRO



Puncture Xtreme

15-6 Puncture Xtreme

EXTREMELY HIGH NEEDLE & CUT - IMPACT - NON MELTING



- Very high performance needle resistance in palm
- Extreme cut protection level F for the most demanding tasks
- Perfect in tough working conditions where risks of sparks and sharp edges may occur
- Hypodermic needle resistance according to ASTM 2878 - 25 gg. Needle = 9 N

ART. NO: 15-6PX
12 pairs (1 dozen)/carton
Size 8/S-12/XXL

10-6 Puncture Xtreme

EXTREMELY HIGH NEEDLE & CUT - MULTI FUNCTION - DURABLE

ART. NO: 10-6PX



Puncture Soft

15-4 Puncture Soft

HIGH NEEDLE & CUT - MULTI FUNCTION - SOFT



- High performance needle resistance in palm
- Softest glove in its class
- Perfect in tough working conditions where risks of sparks and sharp edges may occur
- Hypodermic needle resistance according to ASTM 2878 - 25 gg. Needle = 6 N

ART. NO: 15-4PSOFT
12 pairs (1 dozen)/carton
Size 7/XS-12/XXL

15-4 Puncture Duo

HIGH NEEDLE & CUT - MULTI FUNCTION - SOFT

ART. NO: 15-4PDUO



18-6 Puncture Soft

HIGH NEEDLE & CUT - SECURITY - THIN



- Very high performance needle resistance in palm
- All black design optimal for security and other tough working conditions
- Hypodermic needle resistance according to ASTM 2878 - 25 gg. Needle = 6 N

ART. NO: 18-6PSOFT
12 pairs (1 dozen)/carton
Size 7/XS-12/XXL

穿刺與針刺傷 穿刺與針刺傷

Eureka的防刺穿及針刺抗性系列提供多樣化的保護範圍，且靈巧度極高。


SupraBlock Sto p

一種塗層超高密度的芳綸織物，具有極高的切割保護級別（EN 388: 級別 5/F），防水且具備最高的針刺抗性（ASTM2878/25gg針 >8-9N）。

SupraBlock So ft

一種密度高但柔軟的芳基聚酰胺織物，切割抗性佳，針刺抗性高（ASTM2878/25gg針 >5-6N），且通氣性極佳。

SupraBlock Hydro 選擇性 HPPE 織物，能在一定程度阻擋水流與油流。



穿刺水壓

13-4 穿刺水油 proof - 切割 - 水射流 resistant




- 經測試，對來自 0,3mm 堵塞孔的水力射流，標準清潔的室溫水壓油，250 bar 壓力，1 秒曝露時間，堵塞孔直接接觸手套，且接觸力為 ~3N。
- 水力射流的穿透力會因水壓油屬性、距離堵塞孔的距離、孔徑、工作壓力及曝露時間而顯著變化。

ART. NO: 13-4PHYDRO 12雙 (1打) /箱
號碼 7/XS-12/XXL

18-4 穿刺水壓

防油 - 切割 - 耐噴射

ART. NO: 18-6PHYDRO



穿刺極限

15-6 穿刺極限

極高針頭與切割需求 - 衝擊性 - 非熔接



- 手掌部位極高針頭抗性 • 極限切割保護等級 F，適用於最嚴苛的任務
- 在嚴苛的工作條件下也能完美運作，可避免火花和鋒利邊緣的風險
- 依照 ASTM 2878 - 25 gg 的皮下針阻力，針頭 = 9 N

ART. NO: 15-6PX
12對 (1打) /箱 Size 8/S-12/XXL

10-6 穿刺極限 EXTREME 高針 & 切割 - 多功能 - 堅固 x 19 藝術編號: 10-6PX



穿刺軟性

15-4 創傷軟

高針 & 割刀 - 多功能 - 柔軟



- 手掌部位針頭抗磨損性高
- 同類中最軟的手套
- 在火花和鋒利邊緣風險可能發生的艱酷工作條件下完美適用
- 鋒利邊緣可能發生
- 依照 ASTM 2878 - 25 gg. 皮下針頭抗磨損性，針頭 = 6 N

ART. NO: 15-4PSOFT 12對 (1打) /箱
度 7/XS-12/XXL

4 剪刺組合 HIGH 電針 & CUT - 多功能 - 軟

ART. NO: 15-4PDUO



18-6 穿刺軟

高針 & 切割 - 安全 - 薄



- 手掌部位針頭抗阻力極高
- 全黑設計最適於安全及其他嚴苛工作條件
- 依照 ASTM 2878 - 25 gg. 皮下針頭抗阻力，針頭 = 6 N

ART. NO: 18-6PSOFT 12對 (1打) /箱
7/XS-12/XXL

Winter

Winter gloves are used over a wide range of environments, both indoor and outdoor. The Eureka winter glove range is well suited to cover everything from refrigerated rooms, freezer houses, winter weather, moist and wet environments, to dry extreme cold.

Eureka utilizes high technology fibers and linings to be able to provide the best comfort and to support the insulation and make a cold working day a happy day.



RISK ENVIRONMENT



15-1 Assembly Winter

PRECISION - WARM - DURABLE



- Thin and warm with brushed inside for maximum comfort
- High dexterity and durability in cold environments
- Reflective print for maximum visibility

ART. NO: 15-1AWIN
60 pairs (5 dozen)/carton
Size 7/XS-11/XL

15-3 Winter Cut

PRECISION - CUT - WARM



- High comfort and cut resistance in a thin glove
- High dexterity and durability in cold environments
- Reflective print for maximum visibility

ART. NO: 15-3WINCUT
60 pairs (5 dozen)/carton
Size 7/XS-11/XL

1310-2 Double Shell Nitrile

WARM - INSULATION - COMFORTABLE



- Excellent comfort with highest insulation to cold contact
- Good grip in oily environments
- Reflective print for maximum visibility

ART. NO: 1310-2DSN
60 pairs (5 dozen)/carton
Size 8/S-12/XXL

1310-3 Double Shell Nitrile 4

WARM - CUT - WATERPROOF



- Excellent comfort with highest insulation to cold contact
- Fully dipped glove optimized for oily environments
- Reflective print for maximum visibility

ART. NO: 1310-3DSN4
60 pairs (5 dozen)/carton
Size 8/S-12/XXL

1310-5 Double Shell Nitrile

HIGH CUT - INSULATION - COMFORTABLE



- High cut resistant winter glove
- Excellent comfort with highest insulation to cold contact
- Reflective print for maximum visibility

ART. NR: 1310-5DSN
60 pairs (5 dozen)/carton
Size 8/S-12/XXL

PU Grip Winter Waterproof

WET GRIP - WARM - DURABLE



- Great all-round working glove with high comfort
- Waterproof with optimized grip for cold and moderately tough conditions
- Reflective print

ART. NO: PUGWINWP
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL

MF Nordic Winter

DRY COLD - VERY WARM - COMFORTABLE



- Top of its class in very cold environments
- Convertible from glove to mitten
- Highest level of comfort

ART. NO: MFNWIN
24 pairs (2 dozen)/carton
Size 7/XS-11/XL

冬季冬季

冬季手套適用於廣泛的環境，包括室內和室外。Eureka冬季手套系列適合應用於從冷藏室、冷凍庫、冬季天氣、潮濕濕潤環境，到乾燥極寒的各種情況。

Eureka 使用高科技纖維和裡材，能夠提供最佳舒適感並支援隔熱，讓寒冷的工作日變成快樂的一天。



風險環境



15-1 汇集冬季 精密 - 暖 - 耐用

耐用



- 薄款保暖，內側磨毛處理，極致舒適
- 寒冷環境中，高靈敏度與耐用性
- 反光印刷，極致顯眼

ART. NO: 15-1AWIN 60對 (5打) /箱
Size 7/XS-11/XL

15-3 冬季剪裁

精準 - 剪裁 - 暖意



- 薄款手套，兼具高舒適度與剪裁抗性
- 寒冷環境中，高靈敏度與耐用性
- 反光印刷，提升最大視覺可見度

ART. NO: 15-3WINCUT 60雙 (5打)/箱
7/XS-11/XL

1310-2 雙殼丁腈

溫暖 - 隔熱 - 舒適



- 極佳的舒適感，最高級的隔冷性能
- 油濕環境中抓握力佳
- 反光印刷，最大限度的可見性

ART. NO: 1310-2DSN 60對 (5打)/箱
Size 8/S-12/XXL

1310-3 雙殼丁腈4 保暖 - 切割 - 防水

水



- 卓越舒適，最高隔冷接觸絕緣
- 完全浸漬手套，優化設計適用油性環境
- 反光印刷，最大程度提升可見性

ART. NO: 1310-3DSN4
60雙 (5打)
尺寸8/S-12/XXL

1310-5 雙層丁腈

高切 - 隔熱 - 舒適



- 高切割抗性冬手套
- 卓越的舒適感，最高級的防寒隔熱
- 反光印刷，最大程度提升可見性

ART. NR: 1310-5DSN 60對 (5打) /箱
Size 8/S-12/XXL

PU 握持冬防水 WET GRIP - 暖 - 耐用

水



- 一隻全能工作手套，舒適度高 • 防水，握持優化，適用寒冷及中等嚴重情況
- 反光印刷

ART. NO: PUGWINWP 60雙 (5打) /箱 號碼
7/XS-12/XXL

MF 北歐冬季

乾冷 - 非常暖 - 舒適



- 在極寒環境中表現卓越
- 可從手套變成連指手套
- 最高級別的舒適感

ART. NO: MFNWIN 24雙 (2打)/箱 Size
7/XS-11/XL

Assembly

Highest dexterity and best fit with different liquid resistance, breathability & durability

SupraCoat

The ultimate foam coating. Waterborne PU and Nitrile foam, low density for best breathability, micro cup textured surface, finest quality through process & raw materials. Totally DMF free.

Nitrile

Great durability and grip in oily conditions with different levels of liquid proofing. Nitrile foam, medium density, micro cup textured surface, finest quality through process & raw materials.

Nitrile 2-4

Double coated nitrile with thin solid first layer covered by micro-cup textured foam at different depths. Nitrile 2: Double dipped, Nitrile 3: Double dipped to knuckles, Nitrile 4: Double dipped to wrist.



18-1 Assembly SupraCoat

PRECISION - DRY FEEL - ULTRA THIN



- Ultimate dexterity
- 30% lighter than 15-1 ANI
- Thin with excellent breathability

ART. NO: 18-1ASC
60 pairs (5 dozen)/carton
Size 7/XS-11/XL




15-1 Assembly SupraCoat

PRECISION - SOFT - DRY FEEL



- Ultimate dexterity
- Thin with excellent breathability
- Your second skin in dry environments
- Combines spin-dye and undyed yarns for minimal environment impact

ART. NO: 15-1ASCG
60 pairs (5 dozen)/carton
Size 7/XS-11/XL




15-1 Assembly Nitrile

PRECISION - OILY - DURABLE



- Ultimate dexterity
- Excellent breathability
- Long lasting and excels in oily environments
- Combines spin-dye and undyed yarns for minimal environment impact

ART. NO: 15-1ANI
60 pairs (5 dozen)/carton
Size 7/XS-11/XL




15-1 Assembly Nitrile 4

VERY OILY - PRECISION - DURABLE



- Optimized for very oily environments
- High dexterity and durability
- Combines spin-dye and undyed yarns for minimal environment impact

ART. NO: 15-1ANI4
60 pairs (5 dozen)/carton
Size 7/XS-11/XL




15-1 Assembly Nitrile Heavy Duty

PRECISION - OILY - HEAVY DUTY



- Excellent dexterity
- Dots and Thumb patch for extra durability
- Combine spin dye and undyed recycles polyester for minimal environment impact

ART. NO: 15-1ANIHD
60 pairs (5 dozen)/carton
Size 7/XS-11/XL




L1 Security

THIN - LEATHER - TOUCHSCREEN



- Thin leather glove
- Touch screen capability

ART. NO: L1SEC
60 pairs (5 dozen)/carton
Size 7/XS-11/XL




MF Basic

UNIVERSAL - BREATHABLE - SOFT



- Great all-round working glove with high comfort
- Suitable in dry environments

ART. NO: MFB
60 pairs (5 dozen)/carton
Size 7/XS-11/XL




PU Grip

PERFECT FIT - GRIP - COMFORT



- Highest level of comfort
- Optimized grip for dry environments

ART. NO: PUG
60 pairs (5 dozen)/carton
Size 7/XS-11/XL



組裝

最高靈巧度，與不同液體抗性、通氣性及耐用性最佳搭配

SupraCoat

最終泡沫塗裝。水性PU及丁腈泡沫，低密度以達最佳通氣性，微凹凸紋理表面，通過工藝與原料達至最高品質。完全不含DMF。

丁腈

油性環境下具有卓越的耐久性和抓附力，採用不同等級的防水處理。丁腈膠泡棉，中密度，微凹凸紋表面，通過工藝與原料的精緻品質保證。

丁腈 2-4

雙層塗裝丁腈，第一層為薄實固體層，覆蓋著不同深度的微凹凸泡棉。丁腈 2：雙次浸漬，丁腈 3：浸漬至手指關節，丁腈 4：浸漬至手腕。




18-1 匯集裝配 SupraCoat 精密

- 潤感 - 超薄



- 極致靈活
- 30比 15-1 ANI 輕 15%
- 輕薄，透氣性優異

ART. NO: 18-1ASC 60對 (5打) / 箱
Size 7/XS-11/XL




15-1 匯集超細膩

PRECISION - SOFT - DRY 感



- 極致靈活度
- 薄且具備優異的通氣性
- 乾燥環境中的第二層皮膚 • 結合滾染與未染色紗線，對環境影響最小

ART. NO: 15-1ASCG 60雙 (5打)/箱 號碼
7/XS-11/XL




15-1 組裝丁腈精密 - 油性 - 耐用



- 極致靈活度
- 優異的通氣性
- 耐久且適用於油性環境
- 結合滾染與未染色紗線，對環境影響最小

ART. NO: 15-1ANI 60對 (5打) / 箱
尺寸 7/XS-11/XL




15-1 組裝丁腈 4

極度油污 - 精密 - 耐用



- 優化設計，適用於極度油污環境
- 高靈活性與耐用性
- 結合滾染與未染色紗線，以最小化環境影響

ART. NO: 15 4 60 15 - ANI 偶對 (打)/箱
Size 7/XS-11/XL




15-1 匯裝 丁腈 重型 精密 - 油性 - 重型



- 優異靈活度
- 點擊和拇指贴片，增強耐用性
- 結合滾染和未染色回收聚脂，最小化環境影響

ART. NO: 15-1ANIHD 60對 (5打) / 箱
Size 7/XS-11/XL




L1 安全

薄皮革觸控



- 薄皮革手套
- 觸控螢幕功能

ART. NO: L1SEC 60雙 (5打)/箱 品號
7/XS-11/XL



MF 基礎款

通用型 - 可呼吸性 - 柔軟



- 高舒適性全能勞動手套
- 適用於乾燥環境

ART. NO: MFB 60對 (5打)/箱 品號 7/XS-11/XL




PU 握把

完美合適 - 握持感 - 舒適



- 最高級的舒適度
- 優化乾燥環境下的握持

ART. NO: PUG 60對 (5打)/箱 品號 7/XS-11/XL



Food

Gloves designed for the food industry, food safe, washable and blue for easy identification.


13-1 Insider

FOOD - INSULATION - WASHABLE



- Tested for food contact
- Washable at 60°C
- Good insulation against cold
- Well suited for use underneath disposable gloves or rubber gloves
- Blue color for easy identification

ART. NO: 13-1FOOD
60 pairs (5 dozen)/carton
Size 8/S, 10/L




18-4 Cool Insider

HIGH CUT - PRECISION - SOFT



- Contains no steel or fibreglass
- Washable at 60°C
- Tested for food contact

ART. NO: 18-4C
60 pairs (5 dozen)/carton
Size 7/XS-12/XXL



10-5 Food

FOOD - VERY HIGH CUT - WASHABLE

- Tested for food contact
- HPPE Steel and fibreglass provide high cut level
- Washable at 70°C
- Blue colour for easy identification

ART. NO: 10-5FOOD
60 pairs (5 dozen)/carton
Size 7/XS-11/XL



Non-Glove

Eureka's non-glove products for expanded protection.


18-4 Cool Armsleeve

SLEEVE - ULTRA THIN - VERY HIGH CUT



- Length 50cm
- Cool feel
- Contains no steel or fibreglass
- Black nylon hand-section
- Velcro adjustment

ART. NO: 18-4CAS
3 pairs/bundle, 30 pairs/carton
Size 7/XS, 9/M, 11/XL




13-5 Cool Armsleeve

SLEEVE - HIGH TEAR - VERY HIGH CUT



- Length 50cm
- Cool feel
- Contains no steel or fibreglass
- Velcro adjustment

ART. NO: 13-5CAS
3 pairs/bundle, 30 pairs/carton
Size 9/M, 11/XL




13-4 Heat Armsleeve 8

SLEEVE - HIGH CUT - ARC FLASH



- Black Para Aramid hand section
- Length 50cm
- Contains no steel or fibreglass

ART. NO: 13-4HAS-8
3 pairs/bundle, 30 pairs/carton
Size 9/M, 11/XL



Non-Glove

Food

FoodFood

食品工業用手套，食品級，可清洗，藍色便於識別。


13-1 內部人士

食品 - 隔熱 - 可洗滌



- 已通過食品接觸測試
- 可在 60°C 溫度下清洗
- 優良的防寒絕緣性能
- 適合用於一次性手套或橡膠手套下方
- 藍色，方便識別

貨號：13-1FOOD 60對 (5打) /箱品號
8/S, 10/L




18-4 冷感內衣

高剪裁 - 精準 - 輕柔



- 不含鋼材或纖維玻璃
- 可在 60°C 洗滌
- 已測試食品接觸安全性

ART. NO: 18-4C 60雙 (5打) /箱品號 7/XS-
12/XXL




10-5 食品

食品 - 非常高切割 - 可洗滌

- 已測試食品接觸安全性
- HPPE 鋼材與纖維玻璃提供高切割水準
- 可在 70°C 洗滌
- 藍色外觀，便於識別

ART. NO: 10-5FOOD 60對 (5打) /箱裝
7/XS-11/XL



Non-GloveNon-Glove

Eureka的非手套產品提供更廣泛的保護。


18-4 涼感臂套

袖套 - 超薄 - 高收斂



- 長度 50cm
- 涼感
- 不含鋼材或纖維玻璃
- 黑色尼龍手部部分
- 按壓式束縛

ART. NO: 18-4CAS 3對/束，30對/箱 Size
7/XS，9/M，11/XL




13-5 涼感袖套

袖套 - 高撕裂力 - 非常高剪裁



- 長度 50 公分
- 涼感
- 不含鋼材或纖維玻璃
- 按扣調整

ART. NO: 13-5CAS 3對/束，30對/箱品號
9/M，11/XL




13-4 熱防護臂套 8

袖套 - 高切 - 防弧光



- 黑色芳纶手部
- 長度50公分
- 不含鋼材或纖維玻璃

ART. NO: 13 8 3 430 -HAS- 成對/束裝，成對/
紙箱，尺寸 9/M，11/XL



Non-Glove

Services

Contact us for webinars, online training, on-site vibration measurements, and more!

We are ready to assist!

Our trained sales force is positioned at strategic points around the world ready to assist. Based in Sweden, USA, South Africa, and Poland.



Digital Services

Eureka's range of digital services designed to assist you in the field and help develop a deeper understanding of our concepts and products.

Eureka App

UP TO DATE - ALWAYS WITH YOU - MULTI LANGUAGE



- Available in 23 languages
- Always up to date

App Features

- Product sorting/filtering
- "Add to Favorite" function
- Sample order form
- View Technical Specifications
- View Declarations of Conformity



Eureka Safety on YouTube


V-LEARNING - QUICK-LEARNING - QUICK CLIPS



- Learn about our products and concepts through video!
- Watch our Quick-Clips, Quick-Learnings, Assortment Overviews, and more!

Customer Page - eurekasafety.se

GRAPHICS - CATALOGUES - PRODUCT INFORMATION



- Eureka Safety customer portal
- One-stop-shop for the Eureka Academy, Hand Safety Management tools, catalogues, technical specifications, shipping info, high resolution images and more!

Digital Services

服務服務

請聯繫我們，索取線上研討會、線上培訓、現場振動測量等服務！

我們已準備好協助！

我們的專業銷售團隊已在全球各地的戰略要點佈陣，隨時準備協助客戶。我們的辦公地點分佈於瑞典、美國、南非和波蘭。



數位服務數位服務

Eureka 的數位服務系列旨在協助您在實際應用中，並幫助您更深入地理解我們的理念與產品。


Eureka App 即時更新 - 永遠與您同在 - 多語言



- 提供23種語言
- 永遠保持最新

App 特色

- 產品排序/篩選
- 「加入我的最愛」功能
- 樣本訂單表格
- 查看技術規格
- 查看合規聲明




Eureka 安全上 YouTube V-學習 - 快速學習 - 快速短片




- 透過影片了解我們的產品與概念！
- 觀看我們的快速短片、快速學習、商品總覽等！

客戶頁面 - eurekasafety.se


圖形 - 目錄 - 產品資訊



- Eureka Safety 客戶入口網
- Eureka Academy、手部安全管理工具、目錄、技術規格、運送資訊、高解析度圖片等一站式服務！









Countries with active distributors



有活躍經銷商的國家

Eureka World

-  **Gothenburg, Sweden**
Stock, lab and Headquarters
-  **Jiangsu province, China**
Stock, production & wet lab facilities, sewing subcontractors
-  **Cleveland, Ohio, USA**
Stock and Sales Office
-  **United Kingdom**
Import service
-  **Johannesburg, South Africa**
Stock and Sales Office
-  **Krakov, Poland**
Sales Office

Contact

For more information please contact:

SWEDEN HEADQUARTERS

Y. Berger & Co. AB
Tel: +46 31 75 10 850
E-mail: eureka@berger.se

USA OFFICE

Eureka Safety, Inc.
Tel: +1 330 748 0406
Toll Free: 1 833 796 0866
E-mail: eureka@berger.se

SOUTH AFRICA OFFICE

Eureka Safety ZA
Tel: +27 84 522 5377
+27 72 418 8833
E-mail: eureka@berger.se



www.eurekasafety.se

Eurekasafety version 2605

Eureka 世界

-  **哥德堡，瑞典**
股票、實驗室和總部
-  **中國江蘇省，股票、生產和濕實驗室設施、縫製分包商**
-  **美國俄亥俄州克利夫蘭**
倉庫與銷售辦公室
-  **United Kingdom**
導入服務
-  **約翰內斯堡，南非**
股票與銷售辦公室
-  **克拉科夫，波蘭**
售辦公室

聯繫

如需更多資訊，請聯繫：

瑞典總部

Y. Berger & Co. AB
電話：+46 31 75 10 850 電子郵件：eureka@berger.se

USA 辦公室

Eureka 安全股份有限公司 電話：
+1 330 748 0406 免費電話：1
833 796 0866 電子郵件：
eureka@berger.se

南非

辦公室 Eureka 安全 ZA 電話：
+27 84 522 5377 電子郵件：
+27 72 418 8833
eureka@berger.se



www.eurekasafety.se

Eurekasafety version 2605